

Technical Guide H

Swinging Terrace & French Terrace Doors



Product Features

Styles

Traditional, French, Cambertop, Quarter Round, Full Radius.

Standard Features

- Natural Douglas Fir interior (no visible finger joints)
- Full Jamb – 6 9/16 (166 mm) construction is an option
- 4 mm Low E insulated tempered glazing
- Multi-point locking hardware, complete with solid brass core handle set, escutcheon and dead bolt
- Extruded aluminum cladding in a variety of standard colors, primed wood or clear fir exterior
- Flexible weatherstrip system

Hardware

Multiple hardware type and finish choices are available. See hardware finish options in section A for more information.

Glazing

LowE Double, LowE Triple and StormForce™. StormForce™ is not available on all products.

Simulated Divided Lites (SDL)

Ogee Profile — 3/4” (19 mm), 1 1/8” (30 mm), 2” (51 mm)

Putty Profile — 5/8” (16 mm), 7/8” (22 mm), 1 1/8” (30 mm), 2” (51 mm)

Square Profile (interior only) — 3/4” (19 mm), 7/8” (22 mm), 1 1/8” (30 mm), 2” (51 mm)

Casing

Wood: 2” (51 mm) Brickmould, 3 1/2” (89 mm) Flat, 5 1/2” (139 mm) Flat, Adams and Williamsburg.

Metal Clad: 2” (51 mm) Brickmould, 3 1/2” (89 mm) Flat, 2” clad frame extension, Nose & Cove, Adams, Williamsburg and Contemporary.

Metal Clad Color Spectrum

All Palette colors, including anodized finishes. Available in Cyprium Collection (see Section N).

Specifications

Standards

Most individual units have been tested by an independent laboratory for air and water infiltration, structural performance and thermal performance requirements.

Panel & Frame

Manufactured with Coastal Douglas Fir. Bronze anodized aluminum door sill with bronze vinyl extruded thermal break. All exterior wood components are factory primed unless specified as clear exterior. Minor scratches or abrasions are not considered defects.

Alternate Species

The entire Loewen product line is also available in optional Mahogany.

Preservative Treated

All wood parts are dipped in approved preservative.

Glazing

With countless glazing configurations and glazing coatings options, we ensure that you can choose the perfect blend of protection and comfort.

Insulating Glass

Double or triple insulating tempered glass configuration with 1/2” (13 mm) airspace.

LowE Systems

LowE best describes the benefits of the product that incorporates glazing coatings and Argon gas. LowE systems help reduce heating and cooling costs, providing superior energy efficiency.

Simulated Divided Lites (SDL)

Standard SDL complete with airspace grilles. Grille bars are permanently applied to the interior and exterior.

Metal Cladding

Heavy duty exterior metal cladding comprised of extruded aluminum is available in a variety of Palette colors, including anodized and Cyprium (copper and bronze cladding). Interior of window can be natural wood (unfinished) or primed. Metal clad units are supplied ready-to-install complete with integral metal nailing flange.

Hardware

Multipoint locking hardware — complete with brass handle set and escutcheon — and dead bolt are standard on all Terrace Doors. Optional keyed alike locks are available. Standard concealed bearing hinges in a variety of finishes are available.

Note: French doors with handle activated shoot bolts on inactive panel.

Weatherstripping


High grade weatherstripping runs the full perimeter of the panel/frame interface and provides a tight seal to the exterior elements. Side and head jamb weatherstrip are comprised of a bulb and fin dual seal design.

Door Swings

Traditional Terrace Door: Hinged in the middle so that one panel is fixed, while the other opens/closes. These doors can be configured as a single door, or as a series of fixed, operating, left hinged or right hinged panels.

French Terrace Doors: Hinged on the jambs to allow both doors to open/close from the middle.

Note: Outswinging versions of both door styles are available as options.



LEGEND: ● Standard ○ Optional			
		Swinging Terrace	Swinging French Terrace
HARDWARE STYLES			
Multi-point Handle	●	●	
Verona Handle	●	●	
Meran Handle	●	●	
Shropshire Handle	○	○	
Churchill Handle	○	○	
Athinia Handle	○	○	
Rodos Operator	○	○	

VARIABLES			
Function:			
Use for Egress		●	●
Multi-point Hardware		●	●
Durability:			
Low Maintenance Metal Clad Exterior ¹		●	●
Clear Douglas Fir Exterior Finish		○	○
Clear Mahogany Exterior Finish		○	○
Primed Exterior Finish		○	○
Cyprium Collection		○	○
Performance:			
LowE Double		●	●
LowE Triple		○	○
StormForce™		○	○
Appearance:			
SDL		○	○
Vertical Grain Fir Panel		●	●

FINISH OPTIONS: REFER TO SECTION A.

FINISH OPTIONS: REFER TO SECTION A.

Visit the Loewen Photo Gallery online at www.loewen.com for a large collection of Loewen product and elevation photography. Numerous custom window configuration opportunities exist — please contact your Authorized Loewen Dealer. Specifications and technical information are subject to change without notice. Imperial and metric measurements are converted accurately. However, in some cases, industry standards cause a 1 mm variance. (Example: 3/4" is shown as 19 mm for all glass measurements.) Cad Download: www.loewen.com/architect | Installation Instructions: www.loewen.com

Loewen Narrow Stile Terrace Door

Features

- Narrower stiles and rails compared to standard Terrace Door panels
- Incorporates standard Terrace Door frame and sill
- Available as inswing, outswing, and fixed Terrace Doors
- Available for BiFold
- Metal Clad only in all current finishes with the exception of Cyprium
- Not available in shaped units, rectangle only



Sizes

- Maximum sizes for a single Terrace Door (TD1) is a width of 36" (924mm) and a height of 106 5/16" (2700mm) or a width of 40 5/16" (1024mm) and a height of 94 1/2" (2400mm)
 - Rough Opening and OSM remains the same as a standard Terrace Door, refer to TD1-0927 and TD1-1024 in the Loewen Technical Guide
- Maximum sizes for a French Door (FD2) is a width of 72" (1829mm) and a height of 106 5/16" (2700mm) or a width of 79" (2029mm) and a height of 94 1/2" (2400mm)
 - Rough Opening and OSM remains the same as a standard Terrace Door, refer to FD2-1827 and FD2-2024 in the Loewen Technical Guide



Out-Swing



In-Swing

Options

- Optional 7" bottom rail to align with other Terrace Door / French Door units on the job
- Ogee, Putty, Square interior glazing stops are all available along with complementary SDL bars
- All current Terrace Door handle sets are available, including the new Dallas handle set

Narrow Stile Terrace Door 1 Wide Sizes

Height	Rough Opening Inswing with Jamb Extension¹					Width																				
						Rough Opening²					19 1/8 [485]	25 [635]	31 7/8 [809]	35 1/8 [892]	37 3/4 [959]	41 11/16 [1059]										
											Frame					18 7/16 [469]	24 3/8 [619]	31 1/4 [793]	34 1/2 [876]	37 1/8 [943]	41 1/16 [1043]					
																Panel					17 11/16 [450]	23 5/8 [600]	30 1/2 [774]	33 3/4 [857]	36 3/8 [924]	40 5/16 [1024]
																					Visible Glass					15 13/16 [402]
					7 3/16 [182]	13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]																
										TRANSOM																
	16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT1 0404	*TDT1 0604	*TDT1 0704	* TDT1 0804	* TDT1 0904	*TDT1 1004															
	24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT1 0406	* TDT1 0606	*TDT1 0706	*TDT1 0806	* TDT1 0906	* TDT1 1006															
						VENTING SIDELITE		DOORS																		
	80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	~ TD1 0420	~ TD1 0620	TD1 0720	TD1 0820	TD1 0920	TD1 1020															
	82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	~ TD1 0421	~ TD1 0621	TD1 0721	TD1 0821	TD1 0921	TD1 1021															
	86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	~ TD1 0470	~ TD1 0670	TD1 0770	TD1 0870	TD1 0970	TD1 1070															
	95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	~ TD1 0424	~ TD1 0624	TD1 0724	TD1 0824	TD1 0924	TD1 1024															
	98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]			TD1 0780	TD1 0880	TD1 0980																
	99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]			TD1 0725	TD1 0825	TD1 0925																
	107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]			TD1 0727	TD1 0827	TD1 0927																
Product Code																										
Glass Size = Visible Glass + 15/16" (24 mm)																										

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - Transom units.
 - ~ Venting or Fixed Sidelite.
- 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
- 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Narrow Stile Terrace Door
2 Wide Door Sizes

					Width			
Rough Opening Inswing with Jamb Extension¹ Rough Opening² Frame Panel Visible Glass					60 7/16" [1535]	66 15/16" [1701]	72 1/4" [1835]	80 1/8" [2035]
					59 13/16" [1519]	66 5/16" [1685]	71 5/8" [1819]	79 1/2" [2019]
					59 1/16" [1500]	65 9/16" [1666]	70 7/8" [1800]	78 3/4" [2000]
					28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]
					22 11/16" [576]	25 15/16" [659]	28 9/16" [726]	32 1/2" [826]
					TRANSOM			
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT2 1504	* TDT2 1604	* TDT2 1804	* TDT2 2004
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT2 1506	* TDT2 1606	* TDT2 1806	* TDT2 2006
					DOORS			
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	68 13/16 [1748]	TD2 1520	TD2 1620	TD2 1820	TD2 2020
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	70 9/16 [1793]	TD2 1521	TD2 1621	TD2 1821	TD2 2021
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	75 1/4 [1912]	TD2 1570	TD2 1670	TD2 1870	TD2 2070
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	83 3/4 [2128]	TD2 1524	TD2 1624	TD2 1824	TD2 2024
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	86 11/16 [2202]	TD2 1580	TD2 1680	TD2 1880	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	88 3/8 [2244]	TD2 1525	TD2 1625	TD2 1825	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	95 9/16 [2428]	TD2 1527	TD2 1627	TD2 1827	
					Product Code			
Glass Size = Visible Glass + 15/16" (24 mm)								

Height

Narrow Stile Terrace Door
3 Wide Door Sizes

					Width			
Rough Opening Inswing with Jamb Extension¹ Rough Opening² Frame Panel Visible Glass					89" [2261]	98 13/16" [2510]	106 3/4" [2711]	118 9/16" [3011]
					88 3/8" [2245]	98 3/16" [2494]	106 1/16" [2695]	117 7/8" [2995]
					87 5/8" [2226]	97 7/16" [2475]	105 5/16" [2676]	117 1/8" [2976]
					28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]
					22 11/16" [576]	25 15/16" [659]	28 9/16" [726]	32 1/2" [826]
					TRANSOM			
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT3 2204	* TDT3 2404	* TDT3 2704	* TDT3 3004
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT3 2206	* TDT3 2406	* TDT3 2706	* TDT3 3006
					DOORS			
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	68 13/16 [1748]	TD3 2220	TD3 2420	TD3 2720	TD3 3020
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	70 9/16 [1793]	TD3 2221	TD3 2421	TD3 2721	TD3 3021
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	75 1/4 [1912]	TD3 2270	TD3 2470	TD3 2770	TD3 3070
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	83 3/4 [2128]	TD3 2224	TD3 2424	TD3 2724	TD3 3024
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	86 11/16 [2202]	TD3 2280	TD3 2480	TD3 2780	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	88 3/8 [2244]	TD3 2225	TD3 2425	TD3 2725	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	95 9/16 [2428]	TD3 2227	TD3 2427	TD3 2727	
					Product Code			
Glass Size = Visible Glass + 15/16" (24 mm)								

Height

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Narrow Stile Terrace Door
4 Wide Door Sizes

Rough Opening Inswing with Jamb Extension ¹					Width			
Rough Opening ²					117 5/8" [2988]	130 11/16" [3320]	141 1/4" [3588]	157" [3988]
Frame					117" [2972]	130 1/16" [3304]	140 5/8" [3572]	156 3/8" [3972]
Panel					116 1/4" [2953]	129 5/16" [3285]	139 7/8" [3553]	155 5/8" [3953]
Visible Glass					28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]
					TRANSOM			
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT4 3004	* TDT4 3204	* TDT4 3604	* TDT4 4004
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT4 3006	* TDT4 3206	* TDT4 3606	* TDT4 4006
					DOORS			
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	TD4 3020	TD4 3220	TD4 3620	TD4 4020
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	TD4 3021	TD4 3221	TD4 3621	TD4 4021
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	TD4 3070	TD4 3270	TD4 3670	TD4 4070
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	TD4 3024	TD4 3224	TD4 3624	TD4 4024
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	TD4 3080	TD4 3280	TD4 3680	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	TD4 3025	TD4 3225	TD4 3625	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	TD4 3027	TD4 3227	TD4 3627	

Product Code


Glass Size = Visible Glass + 15/16" (24 mm)

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Inswing 3" Narrow Stile Terrace Door
Detail


Head & Sill Detail




Plan View



Glazing Stop Profiles




Casing




- Note:
- Other jamb widths available.
 - All dimensions to have +/- 1/16" (2mm) tolerance.

Outswing 3” Narrow Stile Terrace Door
Detail


Head & Sill Detail




Plan View



Glazing Stop Profiles



Casing



Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Narrow Stile French Terrace Door
2 Wide Sizes

Rough Opening Inswing with Jamb Extension ¹					61 9/16 [1564]	68 1/8 [1730]	73 3/8 [1864]	81 1/4 [2064]
	Rough Opening ²				60 15/16 [1548]	67 1/2 [1714]	72 3/4 [1848]	80 5/8 [2048]
	Frame				60 3/16 [1529]	66 3/4 [1695]	72 [1829]	79 7/8 [2029]
	Panel				28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]
	Visible Glass				22 11/16 [576]	25 15/16 [659]	28 9/16 [726]	32 1/2 [826]
					TRANSOM			
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT2 1504	*FDT2 1604	*FDT2 1804	*FDT2 2004
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT2 1506	*FDT2 1606	*FDT2 1806	*FDT2 2006
					DOORS			
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	68 13/16 [1748]	FD2 1520	FD2 1620	FD2 1820	FD2 2020
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	70 9/16 [1793]	FD2 1521	FD2 1621	FD2 1821	FD2 2021
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	75 1/4 [1912]	FD2 1570	FD2 1670	FD2 1870	FD2 2070
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	83 3/4 [2128]	FD2 1524	FD2 1624	FD2 1824	FD2 2024
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	86 11/16 [2202]	FD2 1580	FD2 1680	FD2 1880	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	88 3/8 [2244]	FD2 1525	FD2 1625	FD2 1825	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	95 9/16 [2428]	FD2 1527	FD2 1627	FD2 1827	

Height

Product Code

Glass Size = Visible Glass + 15/16" (24 mm)

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - Transom units.
- ¹ Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
- ² Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Narrow Stile French Terrace Door
3 Wide Sizes

					Width		
Rough Opening Inswing with Jamb Extension ¹					90 3/16 [2290]	100 [2539]	107 7/8 [2740]
	Rough Opening ²				89 1/2 [2274]	99 5/16 [2523]	107 1/4 [2724]
		Frame			88 3/4 [2255]	98 9/16 [2504]	106 1/2 [2705]
			Panel		28 9/16 [726]	31 7/8 [809]	34 1/2 [876]
				Visible Glass	22 11/16 [576]	25 15/16 [659]	28 9/16 [726]
					TRANSOM		
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT3 2204	*FDT3 2404	*FDT3 2704
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT3 2206	*FDT3 2406	*FDT3 2706
					DOORS		
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	68 13/16 [1748]	FD3 2220	FD3 2420	FD3 2720
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	70 9/16 [1793]	FD3 2221	FD3 2421	FD3 2721
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	75 1/4 [1912]	FD3 2270	FD3 2470	FD3 2770
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	83 3/4 [2128]	FD3 2224	FD3 2424	FD3 2724
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	86 11/16 [2202]	FD3 2280	FD3 2480	FD3 2780
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	88 3/8 [2244]	FD3 2225	FD3 2425	FD3 2725
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	95 9/16 [2428]	FD3 2227	FD3 2427	FD3 2727
					Product Code		
					Glass Size = Visible Glass + 15/16" (24 mm)		
Height							

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - Transom units.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Narrow Stile French Terrace Door
4 Wide Sizes


Rough Opening Inswing with Jamb Extension¹ Rough Opening² Frame Panel Visible Glass					118 3/4 [3016]	131 13/16 [3348]	142 3/8 [3616]	158 1/8 [4016]
					118 1/8 [3000]	131 3/16 [3332]	141 3/4 [3600]	157 1/2 [4000]
					117 3/8 [2981]	130 7/16 [3313]	141 [3581]	156 3/4 [3981]
					28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]
					22 11/16 [576]	25 15/16 [659]	28 9/16 [726]	32 1/2 [826]
					TRANSOM			
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT4 3004	*FDT4 3304	*FDT4 3604	*FDT4 4004
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT4 3006	*FDT4 3306	*FDT4 3606	*FDT4 4006
					DOORS			
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	68 13/16 [1748]	FD4 3020	FD4 3320	FD4 3620	FD4 4020
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	70 9/16 [1793]	FD4 3021	FD4 3321	FD4 3621	FD4 4021
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	75 1/4 [1912]	FD4 3070	FD4 3370	FD4 3670	FD4 4070
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	83 3/4 [2128]	FD4 3024	FD4 3324	FD4 3624	FD4 4024
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	86 11/16 [2202]	FD4 3080	FD4 3380	FD4 3680	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	88 3/8 [2244]	FD4 3025	FD4 3325	FD4 3625	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	95 9/16 [2428]	FD4 30027	FD4 3327	FD4 3627	
					Product Code			
					Glass Size = Visible Glass + 15/16" (24 mm)			

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - Transom units.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Inswing 3” Narrow Stile French Terrace Door
Detail


Head & Sill Detail



Plan View



Glazing Stop Profiles




Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Outswing 3” Narrow Stile French Terrace Door
Detail


Head & Sill Detail



Plan View



Glazing Stop Profiles



Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Terrace Door & Transom
1 Wide Door Sizes

					Width										
Rough Opening Inswing with Jamb Extension ¹					19 1/8 [485]	25 [635]	31 7/8 [809]	35 1/8 [892]	37 3/4 [959]	41 11/16 [1059]	45 1/4 [1150]				
					Rough Opening ²				18 7/16 [469]	24 3/8 [619]	31 1/4 [793]	34 1/2 [876]	37 1/8 [943]	41 1/16 [1043]	44 5/8 [1134]
					Frame				17 11/16 [450]	23 5/8 [600]	30 1/2 [774]	33 3/4 [857]	36 3/8 [924]	40 5/16 [1024]	43 7/8 [1115]
					Panel				15 13/16 [402]	21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]
					Visible Glass				7 3/16 [182]	13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]
					TRANSOM										
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT1 0404	* TDT1 0604	* TDT1 0704	* TDT1 0804	* TDT1 0904	* TDT1 1004	* TDT1 1104				
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT1 0406	* TDT1 0606	* TDT1 0706	* TDT1 0806	* TDT1 0906	* TDT1 1006	* TDT1 1106				
					VENTING SIDELITES		DOORS								
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	^ VTD1 0420	^ VTD1 0620	TD1 0720	TD1 0820	TD1 0920	TD1 1020	TD1 1120				
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	^ VTD1 0421	^ VTD1 0621	TD1 0721	TD1 0821	TD1 0921	TD1 1021	TD1 1121				
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	^ VTD1 0470	^ VTD1 0670	TD1 0770	TD1 0870	TD1 0970	TD1 1070	TD1 1170				
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	^ VTD1 0424	^ VTD1 0624	TD1 0724	TD1 0824	TD1 0924	TD1 1024	TD1 1124				
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	^ VTD1 0480	^ VTD1 0680	TD1 0780	TD1 0880	TD1 0980	TD1 1080	TD1 1180				
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	^ VTD1 0425	^ VTD1 0625	TD1 0725	TD1 0825	TD1 0925	TD1 1025	TD1 1125				
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	^ VTD1 0427	^ VTD1 0627	TD1 0727	TD1 0827	TD1 0927	TD1 1027	TD1 1127				
Product Code															
Glass Size = Visible Glass + 15/16" (24 mm)															

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - Transom units.
 - ^ Venting or Fixed.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Terrace Door & Transom
2 Wide Door Sizes

					Width									
Rough Opening Inswing with Jamb Extension ¹					46 3/4" [1187]	60 7/16" [1535]	66 15/16" [1701]	72 1/4" [1835]	80 1/8" [2035]	87 5/16" [2217]				
					Rough Opening ²				46 1/8" [1171]	59 13/16" [1519]	66 5/16" [1685]	71 5/8" [1819]	79 1/2" [2019]	86 5/8" [2201]
					Frame				45 3/8" [1152]	59 1/16" [1500]	65 9/16" [1666]	70 7/8" [1800]	78 3/4" [2000]	85 7/8" [2182]
					Panel				21 3/4" [552]	28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]	42" [1067]
				Visible Glass	13 1/16" [332]	19 15/16" [506]	23 3/16" [589]	25 13/16" [656]	29 3/4" [756]	33 3/8" [847]				
					TRANSOM									
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT2 1204	* TDT2 1504	* TDT2 1604	* TDT2 1804	* TDT2 2004	* TDT2 2204				
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT2 1206	* TDT2 1506	* TDT2 1606	* TDT2 1806	* TDT2 2006	* TDT2 2206				
					DOORS									
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	TD2 1220	TD2 1520	TD2 1620	TD2 1820	TD2 2020	TD2 2220				
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	TD2 1221	TD2 1521	TD2 1621	TD2 1821	TD2 2021	TD2 2221				
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	TD2 1270	TD2 1570	TD2 1670	TD2 1870	TD2 2070	TD2 2270				
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	TD2 1224	TD2 1524	TD2 1624	TD2 1824	TD2 2024	TD2 2224				
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	TD2 1280	TD2 1580	TD2 1680	TD2 1880	TD2 2080	TD2 2280				
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	TD2 1225	TD2 1525	TD2 1625	TD2 1825	TD2 2025	TD2 2225				
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	TD2 1227	TD2 1527	TD2 1627	TD2 1827	TD2 2027	TD2 2227				
Product Code														
Glass Size = Visible Glass + 15/16" (24 mm)														

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - Transom units.
 - ^ Venting or Fixed.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Terrace Door & Transom
3 Wide Door Sizes

Rough Opening Inswing with Jamb Extension ¹					Width				
					89" [2261]	98 13/16" [2510]	106 3/4" [2711]	118 9/16" [3011]	129 5/8" [3293]
					Rough Opening ²				
					Frame				
					Panel				
					28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]	42" [1067]
					Visible Glass				
					19 15/16" [506]	23 3/16" [589]	25 13/16" [656]	29 3/4" [756]	33 3/8" [847]
					TRANSOM				
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT3 2204	* TDT3 2404	* TDT3 2704	* TDT3 3004	* TDT3 3204
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT3 2206	* TDT3 2406	* TDT3 2706	* TDT3 3006	* TDT3 3206
					DOORS				
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	TD3 2220	TD3 2420	TD3 2720	TD3 3020	TD3 3220
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	TD3 2221	TD3 2421	TD3 2721	TD3 3021	TD3 3221
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	TD3 2270	TD3 2470	TD3 2770	TD3 3070	TD3 3270
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	TD3 2224	TD3 2424	TD3 2724	TD3 3024	TD3 3224
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	TD3 2280	TD3 2480	TD3 2780	TD3 3080	TD3 3280
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	TD3 2225	TD3 2425	TD3 2725	TD3 3025	TD3 3225
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	TD3 2227	TD3 2427	TD3 2727	TD3 3027	TD3 3227
					Product Code				
Glass Size = Visible Glass + 15/16" (24 mm)									

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - Transom units.
 - ^ Venting or Fixed.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Terrace Door & Transom
4 Wide Door Sizes

Rough Opening Inswing with Jamb Extension ¹					Width				
					117 5/8" [2988]	130 11/16" [3320]	141 1/4" [3588]	157" [3988]	171 5/16" [4352]
					Rough Opening ²				
					117" [2972]	130 1/16" [3304]	140 5/8" [3572]	156 3/8" [3972]	170 11/16" [4336]
					Frame				
					116 1/4" [2953]	129 5/16" [3285]	139 7/8" [3553]	155 5/8" [3953]	169 15/16" [4317]
					Panel				
					28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]	42" [1067]
					Visible Glass				
					19 15/16" [506]	23 3/16" [589]	25 13/16" [656]	29 3/4" [756]	33 3/8" [847]
					TRANSOM				
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT4 3004	* TDT4 3204	* TDT4 3604	* TDT4 4004	* TDT4 4304
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT4 3006	* TDT4 3206	* TDT4 3606	* TDT4 4006	* TDT4 4306
					DOORS				
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	TD4 3020	TD4 3220	TD4 3620	TD4 4020	TD4 4320
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	TD4 3021	TD4 3221	TD4 3621	TD4 4021	TD4 4321
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	TD4 3070	TD4 3270	TD4 3670	TD4 4070	TD4 4370
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	TD4 3024	TD4 3224	TD4 3624	TD4 4024	TD4 4324
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	TD4 3080	TD4 3280	TD4 3680	TD4 4080	TD4 4380
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	TD4 3025	TD4 3225	TD4 3625	TD4 4025	TD4 4325
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	TD4 3027	TD4 3227	TD4 3627	TD4 4027	TD4 4327
					Product Code				
Glass Size = Visible Glass + 15/16" (24 mm)									

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - Transom units.
 - ^ Venting or Fixed.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Cambertop Terrace Door
1 Wide Door Sizes

					Width				
Height	Rough Opening Inswing with Jamb Extension ¹				31 7/8 [809]	35 1/82 [892]	37 3/4 [959]	41 11/16 [1059]	45 1/4 [1150]
	Rough Opening ²				31 1/4 [793]	34 1/2 [876]	37 1/8 [943]	41 1/16 [1043]	44 5/8 [1134]
	Frame				30 1/2 [774]	33 3/4 [857]	36 3/8 [924]	40 5/16 [1024]	43 7/8 [1115]
	Panel				28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]
	Visible Glass				19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]
					Product Code				
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 15/16 [1624]	CTTD1 0720	CTTD1 0820	CTTD1 0920	CTTD1 1020	CTTD1 1120
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	CTTD1 0721	CTTD1 0821	CTTD1 0921	CTTD1 1021	CTTD1 1121
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	CTTD1 0770	CTTD1 0870	CTTD1 0970	CTTD1 1070	CTTD1 1170
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	CTTD1 0724	CTTD1 0824	CTTD1 0924	CTTD1 1024	CTTD1 1124
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	CTTD1 0780	CTTD1 0880	CTTD1 0980	CTTD1 1080	CTTD1 1180
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	CTTD1 0725	CTTD1 0825	CTTD1 0925		
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	CTTD1 0727	CTTD1 0827	CTTD1 0927		
Glass Size = Visible Glass + 15/16" (24 mm)									

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 59 1/16" (1500 mm) radius.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Cambertop Terrace Door
2 Wide Door Sizes

					Width						
Height	Rough Opening Inswing with Jamb Extension ¹					46 3/4 [1187]	60 7/16 [1535]	66 15/16 [1701]	72 1/4 [1835]	80 1/8 [2035]	87 5/16 [2217]
	Rough Opening ²					46 1/8 [1171]	59 13/16 [1519]	66 5/16 [1685]	70 5/8 [1819]	79 1/2 [2019]	86 5/8 [2201]
	Frame					45 3/8 [1152]	59 1/16 [1500]	65 9/16 [1666]	70 7/8 [1800]	78 3/4 [2000]	85 7/8 [2182]
	Panel					21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]
	Visible Glass					13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]
						Product Code					
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 3/4 [1619]	CTTD2 1220	CTTD2 1520	CTTD2 1620	CTTD2 1820	CTTD2 2020	CTTD2 2220	
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 1/2 [1664]	CTTD2 1221	CTTD2 1521	CTTD2 1621	CTTD2 1821	CTTD2 2021	CTTD2 2221	
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/16 [1783]	CTTD2 1270	CTTD2 1570	CTTD2 1670	CTTD2 1870	CTTD2 2070	CTTD2 2270	
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 3/4 [1999]	CTTD2 1224	CTTD2 1524	CTTD2 1624	CTTD2 1824	CTTD2 2024	CTTD2 2224	
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	CTTD2 1280	CTTD2 1580	CTTD2 1680	CTTD2 1880	CTTD2 2080	CTTD2 2280	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 5/16 [2115]	CTTD2 1225	CTTD2 1525	CTTD2 1625	CTTD2 1825			
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 1/2 [2299]	CTTD2 1227	CTTD2 1527	CTTD2 1627	CTTD2 1827			
Glass Size = Visible Glass + 15/16" (24 mm)											

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 96 7/16" (2450 mm) radius.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Quarter Round Terrace Door
1 Wide Door Sizes

Rough Opening Inswing with Jamb Extension ¹					31 7/8 [809]	35 1/82 [892]	37 3/4 [959]
	Rough Opening ²	Frame	Panel	Visible Glass	31 1/4 [793]	34 1/2 [876]	37 1/8 [943]
					30 1/2 [774]	33 3/4 [857]	36 3/8 [924]
					28 9/16 [726]	31 7/8 [809]	34 1/2 [876]
					19 15/16 [506]	23 3/16 [589]	25 13/16 [656]
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 3/8 [1610]	CTTD1 0720	CTTD1 0820	
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 3/16 [1655]	CTTD1 0721	CTTD1 0821	CTTD1 0921
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	69 7/8 [1774]	CTTD1 0770	CTTD1 0870	CTTD1 0970
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 3/8 [1990]	CTTD1 0724	CTTD1 0824	CTTD1 0924
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	CTTD1 0780	CTTD1 0880	CTTD1 0980
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	82 15/16 [2106]	CTTD1 0725	CTTD1 0825	CTTD1 0925
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 3/16 [2290]	CTTD1 0727	CTTD1 0827	CTTD1 0927

Product Code

Glass Size = Visible Glass + 15/16" (24 mm)

* Availability of half/quarter round doors in metal clad may be limited. Consult your Authorized Loewen Dealer

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Quarter Round Terrace Door
2 Wide Door Sizes

Rough Opening Inswing with Jamb Extension ¹					60 7/16 [1535]	66 15/16 [1701]	72 1/4 [1835]
	Rough Opening ²	Frame	Panel	Visible Glass	59 13/16 [1519]	66 5/16 [1685]	70 5/8 [1819]
					59 1/16 [1500]	65 9/16 [1666]	70 7/8 [1800]
					28 9/16 [726]	31 7/8 [809]	34 1/2 [876]
					19 15/16 [506]	23 3/16 [589]	25 13/16 [656]
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 3/8 [1610]	CTTD2 1520	CTTD2 1620	
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 3/16 [1655]	CTTD2 1521	CTTD2 1621	CTTD2 1821
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	69 7/8 [1774]	CTTD2 1570	CTTD2 1670	CTTD2 1870
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 3/8 [1990]	CTTD2 1524	CTTD2 1624	CTTD2 1824
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	CTTD2 1580	CTTD2 1680	CTTD2 1880
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	82 15/16 [2106]	CTTD2 1525	CTTD2 1625	CTTD2 1825
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 3/16 [2290]	CTTD2 1527	CTTD2 1627	CTTD2 1827
					Product Code		
Glass Size = Visible Glass + 15/16" (24 mm)							
* Availability of half/quarter round doors in metal clad may be limited. Consult your Authorized Loewen Dealer							

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Half Round Terrace Door
1 Wide Door Sizes (Non-Clad Only)


					Width		
Height	Rough Opening Inswing with Jamb Extension ¹				31 7/8 [809]	35 1/82 [892]	37 3/4 [959]
	Rough Opening ²				31 1/4 [793]	34 1/2 [876]	37 1/8 [943]
	Frame				30 1/2 [774]	33 3/4 [857]	36 3/8 [924]
	Panel				28 9/16 [726]	31 7/8 [809]	34 1/2 [876]
	Visible Glass				19 15/16 [506]	23 3/16 [589]	25 13/16 [656]
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 15/16 [1624]	CTTD1 0720	CTTD1 0820	
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	CTTD1 0721	CTTD1 0821	CTTD1 0921
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	CTTD1 0770	CTTD1 0870	CTTD1 0970
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	CTTD1 0724	CTTD1 0824	CTTD1 0924
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	CTTD1 0780	CTTD1 0880	CTTD1 0980
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	CTTD1 0725	CTTD1 0825	CTTD1 0925
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	CTTD1 0727	CTTD1 0827	
					Product Code		
Glass Size = Visible Glass + 15/16" (24 mm)							

Inswing Terrace Door Wall Connection
Detail

Head & Sill Detail



Plan View




Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).


- Note:
- Other jamb widths available.
 - All dimensions to have +/- 1/16" (2mm) tolerance.

Inswing Terrace Door
Detail

Head & Sill Detail



Head & Sill Detail




Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Inswing Terrace Door
Detail

Head & Sill Detail



Head & Sill Detail




Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Outswing Terrace Door
Detail

Head & Sill Detail



Head & Sill Detail




Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Outswing Terrace Door
Detail

Head & Sill Detail




Head & Sill Detail




Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Glazing Stop Profiles




Casing




SEE PAGE A22 FOR DIMENSIONS

Glazing Stop Profiles



Casing



SEE PAGE A22 FOR DIMENSIONS

French Terrace Door & Transom
2 Wide Door Sizes

					Width					
Rough Opening Inswing with Jamb Extension ¹					47 7/8 [1216]	61 9/16 [1564]	68 1/8 [1730]	73 3/8 [1864]	81 1/4 [2064]	88 7/16 [2246]
					Rough Opening ²					
					47 1/4 [1200]	60 15/16 [1548]	67 1/2 [1714]	72 3/4 [1848]	80 5/8 [2048]	87 13/16 [2230]
					Frame					
					46 1/2 [1181]	60 3/16 [1529]	66 3/4 [1695]	72 [1829]	79 7/8 [2029]	87 1/16 [2211]
					Panel					
					21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]
					Visible Glass					
					13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]
					TRANSOM					
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT2 1204	*FDT2 1504	*FDT2 1604	*FDT2 1804	*FDT2 2004	*FDT2 2204
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT2 1206	*FDT2 1506	*FDT2 1606	*FDT2 1806	*FDT2 2006	*FDT2 2206
					DOORS					
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	FD2 1220	FD2 1520	FD2 1620	FD2 1820	FD2 2020	FD2 2220
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	FD2 1221	FD2 1521	FD2 1621	FD2 1821	FD2 2021	FD2 2221
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	FD2 1270	FD2 1570	FD2 1670	FD2 1870	FD2 2070	FD2 2270
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	FD2 1224	FD2 1524	FD2 1624	FD2 1824	FD2 2024	FD2 2224
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	FD2 128	FD2 1580	FD2 1680	FD2 1880	FD2 2080	FD2 2280
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	FD2 1225	FD2 1525	FD2 1625	FD2 1825	FD2 2025	FD2 2225
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	FD2 1227	FD2 1527	FD2 1627	FD2 1827		
					Product Code					
					Glass Size = Visible Glass + 15/16" (24 mm)					
					LA R LEFT ACTIVE RIGHT PASSIVE					

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

French Terrace Door & Transom
3 Wide Door Sizes

					Width		
Rough Opening Inswing with Jamb Extension ¹					90 3/16 [2290]	100 [2539]	107 7/8 [2740]
					Rough Opening ²		
					89 1/2 [2274]	99 5/16 [2523]	107 1/4 [2724]
					Frame		
					88 3/4 [2255]	98 9/16 [2504]	106 1/2 [2705]
					Panel		
					28 9/16 [726]	31 7/8 [809]	34 1/2 [876]
					Visible Glass		
					19 15/16 [506]	23 3/16 [589]	25 13/16 [656]
					TRANSOM		
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT3 2204	*FDT3 2404	*FDT3 2704
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT3 2206	*FDT3 2406	*FDT3 2706
					DOORS		
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	FD3 2220	FD3 2420	FD3 2720
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	FD3 2221	FD3 2421	FD3 1821
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	FD3 2270	FD3 2470	FD3 2770
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	FD3 2224	FD3 2424	FD3 2724
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	FD3 2280	FD3 2480	FD3 2780
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	FD3 2225	FD3 2425	FD3 2725
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	FD3 2227	FD3 2427	FD3 2727
					Product Code		
					Glass Size = Visible Glass + 15/16" (24 mm)		
					F LA R FIXED LEFT ACTIVE RIGHT PASSIVE		

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

French Terrace Door & Transom
4 Wide Door Sizes

Rough Opening Inswing with Jamb Extension¹					Width											
					91 5/16 [2320]	118 3/4 [3016]	131 13/16 [3348]	142 3/8 [3616]	158 1/8 [4016]	172 7/16 [4380]						
					Rough Opening²					90 11/16 [2304]	118 1/8 [3000]	131 3/16 [3332]	141 3/4 [3600]	157 1/2 [4000]	171 13/16 [4364]	
					Frame					89 15/16 [2285]	117 3/8 [2981]	130 7/16 [3313]	141 [3581]	156 3/4 [3981]	171 1/16 [4345]	
					Panel					21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]	
					Visible Glass						13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]
					TRANSOM											
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT4 2304	*FDT4 3004	*FDT4 3304	*FDT4 3604	*FDT4 4004	*FDT4 4304						
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT4 2306	*FDT4 3006	*FDT4 3306	*FDT4 3606	*FDT4 4006	*FDT4 4306						
					DOORS											
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	FD4 2320	FD4 3020	FD4 3320	FD4 3620	FD4 4020	FD4 4320						
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	FD4 2321	FD4 3021	FD4 3321	FD4 3621	FD4 4021	FD4 4321						
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	FD4 2370	FD4 3070	FD4 3370	FD4 3670	FD4 4070	FD4 4370						
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	FD4 2324	FD4 3024	FD4 3324	FD4 3624	FD4 4024	FD4 4324						
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	FD4 2380	FD4 3080	FD4 3380	FD4 3680	FD4 4080	FD4 4380						
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	FD4 2325	FD4 3025	FD4 3325	FD4 3625	FD4 4025	FD4 4325						
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	FD4 2327	FD4 30027	FD4 3327	FD4 3627								
					Product Code											
					Glass Size = Visible Glass + 15/16" (24 mm)											
					F LA R F FIXED LEFT ACTIVE RIGHT PASSIVE FIXED											

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
 - SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Transom units.
 - Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Cambertop French Terrace Door
2 Wide Sizes

Rough Opening Inswing with Jamb Extension ¹					Width									
					47 7/8 [1216]	61 9/16 [1564]	68 1/8 [1730]	73 3/8 [1864]	81 1/4 [2064]	88 7/16 [2246]				
					Rough Opening ²				47 1/4 [1200]	60 15/16 [1548]	67 1/2 [1714]	72 3/4 [1848]	80 5/8 [2048]	87 13/16 [2230]
					Frame				46 1/2 [1181]	60 3/16 [1529]	66 3/4 [1695]	72 [1829]	79 7/8 [2029]	87 1/16 [2211]
					Panel				21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]
					Visible Glass	13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]			
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	FD2 1220	FD2 1520	FD2 1620	FD2 1820	FD2 2020	FD2 2220				
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	FD2 1221	FD2 1521	FD2 1621	FD2 1821	FD2 2021	FD2 2221				
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	FD2 1270	FD2 1570	FD2 1670	FD2 1870	FD2 2070	FD2 2270				
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	FD2 1224	FD2 1524	FD2 1624	FD2 1824	FD2 2024	FD2 2224				
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	FD2 1280	FD2 1580	FD2 1680	FD2 1880	FD2 2080	FD2 2280				
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	FD2 1225	FD2 1525	FD2 1625	FD2 1825						
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	FD2 1227	FD2 1527	FD2 1627	FD2 1827						
					Product Code									
					Glass Size = Visible Glass + 15/16" (24 mm)									

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:
 - SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 96 7/16" (2450 mm) radius.
 - Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Cambertop French Terrace Door
4 Wide Sizes

Rough Opening Inswing with Jamb Extension ¹					Width					
					91 5/16 [2320]	118 3/4 [3016]	131 13/16 [3348]	142 3/8 [3616]	158 1/8 [4016]	172 7/16 [4380]
Rough Opening ²					90 11/16 [2304]	118 1/8 [3000]	131 3/16 [3332]	141 3/4 [3600]	157 1/2 [4000]	171 13/16 [4364]
Frame					89 15/16 [2285]	117 3/8 [2981]	130 7/16 [3313]	141 [3581]	156 3/4 [3981]	171 1/16 [4345]
Panel					21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]
Visible Glass					13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	FD4 2320	FD4 3020	FD4 3320	FD4 3620	FD4 4020	FD4 4320
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	FD4 2321	FD4 3021	FD4 3321	FD4 3621	FD4 4021	FD4 4321
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	FD4 2370	FD4 3070	FD4 3370	FD4 3670	FD4 4070	FD4 4370
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	FD4 2324	FD4 3024	FD4 3324	FD4 3624	FD4 4024	FD4 4324
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	FD4 2380	FD4 3080	FD4 3380	FD4 3680	FD4 4080	FD4 4380
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	FD4 2325	FD4 3025	FD4 3325	FD4 3625		
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	FD4 2327	FD4 3027	FD4 3327	FD4 3627		

Product Code

Glass Size = Visible Glass + 15/16" (24 mm)




Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note: • SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
- 200 13/16" (5100 mm) radius.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Inswing French Terrace Door Detail


Head & Sill Detail




Head & Sill Detail



Glazing Stop Profiles



Casing




SEE PAGE A22 FOR DIMENSIONS.

- Note: • Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.


Inswing French Terrace Door
Detail

Plan View




Outswing French Terrace Door
Detail


Head & Sill Detail




Plan View



Glazing Stop Profiles




Casing




Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.


Head & Sill Detail



Glazing Stop Profiles




Casing




Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

Outswing French Terrace Door Detail

Plan View





Plan View



Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

Terrace/French Terrace Door Low Profile & Midrail Detail, Wide Bottom Rail


Head & Sill Detail



Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

10’ Terrace/French Terrace Door
1 & 2 Wide Sizes

					Width									
Rough Opening Inswing with Jamb Extension ¹					39 1/4 [997]	43 1/4 [1099]	45 1/4 [1150]	75 1/4 [1911]	83 1/4 [2115]	87 5/16 [2217]	76 3/8 [1940]	84 7/16 [2144]	88 7/16 [2246]	
Rough					38 5/8 [981]	42 5/8 [1083]	44 5/8 [1134]	74 5/8 [1895]	82 5/8 [2099]	86 5/8 [2201]	75 3/4 [1924]	83 3/4 [2128]	87 13/16 [2230]	
Frame					37 7/8 [962]	41 7/8 [1064]	43 7/8 [1115]	73 7/8 [1876]	81 7/8 [2080]	85 7/8 [2182]	75 [1905]	83 1/16 [2109]	87 1/16 [2211]	
Panel					34 1/2 [876]	38 7/16 [976]	42 [1067]	34 1/2 [876]	38 7/16 [976]	42 [1067]	34 1/2 [876]	38 7/16 [976]	42 [1067]	
Visible Glass					24 1/4 [616]	28 1/4 [718]	30 1/4 [769]	24 1/4 [616]	28 1/4 [718]	30 1/4 [769]	24 1/4 [616]	28 1/4 [718]	30 1/4 [769]	
124 5/16 [3157]	124 [3150]	123 7/16 [3135]	120 3/8 [3057]	106 1/4 [2699]	TD1 0932	TD1 1032	TD1 1132							
124 5/16 [3157]	124 [3150]	123 7/16 [3135]	120 3/8 [3057]	106 1/4 [2699]				TD2 1832	TD2 2032	TD2 2232				
124 5/16 [3157]	124 [3150]	123 7/16 [3135]	120 3/8 [3057]	106 1/4 [2699]							FD2 1832	FD2 2032	FD2 2232	
Product Code														
Glass Size = Visible Glass + 15/16" (24 mm)														




Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

Note:


- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
- 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
- 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

10’ Inswing Terrace/French Terrace Door
Detail


Head & Sill Detail




Head & Sill Detail



Glazing Stop Profiles



Casing




SEE PAGE A22 FOR DIMENSIONS.

Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

10’ Inswing Terrace Door
Detail


Plan View




METAL CLAD DOUBLE
TWO PANEL



WOOD EXTERIOR DOUBLE
TWO PANEL 2" BRICKMOULD
SQUARE STOP




METAL CLAD DOUBLE
6 9/16" (166 mm) FULL JAMB




WOOD EXTERIOR DOUBLE
6 9/16" (166 mm) 2" BRICKMOULD

Plan View




METAL CLAD DOUBLE
ONE PANEL




NON CLAD DOUBLE
ONE PANEL
3 1/2" FLAT CASING

Glazing Stop Profiles



Casing




SEE PAGE A22 FOR DIMENSIONS.


Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

10’ Outswing Terrace/French Terrace Door
Detail


Head & Sill Detail




METAL CLAD DOUBLE
6 9/16" (166mm)



METAL CLAD DOUBLE
6 9/16" (166mm) FULL JAMB




WOOD EXTERIOR DOUBLE
6 9/16" (166mm) 2" BRICKMOULD
SQUARE STOP




WOOD EXTERIOR DOUBLE
6 9/16" (166mm) FULL JAMB
ADAMS CASING

Head & Sill Detail




CAMBERTOP
METAL CLAD DOUBLE
4 9/16" (116mm)




WOOD EXTERIOR DOUBLE
4 9/16" (116mm)
2" BRICKMOULD

Glazing Stop Profiles



Casing




SEE PAGE A22 FOR DIMENSIONS.


Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

10’ Outswing Terrace Door
Detail

Plan View




Plan View




Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

10’ Outswing & Inswing Terrace/French Terrace Door
Detail

Plan View Outswing




Plan View Inswing



Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.


Terrace/French Terrace Door & Transom Mull Detail

Head & Sill Detail



Terrace/French Terrace Door & Sidelite Mull Detail



Plan View



Note: Other jamb widths available.
All dimensions to have +/- 1/16" (2mm) tolerance.

Terrace/French Terrace Door Transom Rail Detail


Head & Sill Detail



Note: Other jamb widths available.
All dimensions to have +/- 1/16" (2mm) tolerance.

Terrace/French Terrace Door & Transom Mull Detail


Plan View



Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

Terrace/French Terrace Door Transom Rail Detail

Plan View



Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

