

Technical Guide B

Casement Windows



Product Features

Styles

Traditional, Push Out and Mission® options.

Standard Features

- Natural, clear Douglas Fir interior (no visible finger joints)
- 4 9/16” (116 mm) jamb construction
- LowE insulated glazing with 1/2” (13 mm) airspace
- Roto gear operator and concealed sash locks
- Extruded aluminum cladding in a variety of standard colors, primed wood or clear fir exterior
- Flexible continuous weatherstrip system
- Insect screens
- Metal handle, cover and locks

Hardware

Multiple hardware type and finish choices are available. See the Hardware in section A for more information.

Glazing

LowE Double, LowE Triple, Tranquility® and StormForce™. StormForce is not available on all products.

Simulated Divided Lites (SDL)

Ogee Profile — 3/4” (19 mm), 1 1/8” (30 mm), 2” (51 mm)

Putty Profile — 5/8” (16 mm), 7/8” (22 mm), 1 1/8” (30 mm), 2” (51 mm)

Square Profile (interior only) — 3/4” (19 mm), 7/8” (22 mm), 1 1/8” (30 mm), 2” (51 mm)

Casing

Wood: 2” (51 mm) Brickmould, 3 1/2” (89 mm) Flat, 5 1/2” (139 mm) Flat, Adams and Williamsburg.

Metal Clad: 2” (51 mm) Brickmould, 3 1/2” (89 mm) Flat, 2” clad frame extension, Nose & Cove, Adams, Williamsburg and Contemporary.

Metal Clad Color Spectrum

All Palette colors, including anodized finishes. Available in Cyprium Collection.



Casement



Mission® Casement



Push Out Casement

LEGEND: ● Standard ○ Optional

	Traditional Casement	Mission® Casement	French Casement	Push Out Casement
HARDWARE STYLES				
Folding Crank Handle	●	●	●	
Push Out Handle				●
Multipoint Lock	●	●	●	○

FINISH OPTIONS: REFER TO SECTION A.

	Traditional Casement	Mission® Casement	French Casement	Push Out Casement
VARIABLES				
Function:				
Use for Egress	●	●	●	●
Available with Screen	●	●	●	● ¹
Concealed Hardware	●	●	●	
Durability:				
Low Maintenance Metal Clad Exterior	●	●	●	●
Clear Douglas Fir Exterior Finish	○	○	○	○
Clear Mahogany Exterior Finish	○	○	○	○
Primed Exterior Finish	○	○	○	○
Cyprium Collection	○			○
Performance:				
LowE Double	●	●	●	●
LowE Triple	○	○	○	○
StormForce™	○	○		
Appearance:				
SDL	○	○	○	○

Specifications

Standards

Most units have been tested by an independent laboratory for air and water infiltration, structural performance, and thermal performance requirements.

Frame & Sash

Manufactured from Coastal Douglas Fir kiln-dried lumber with frame construction designed for 4 9/16” (116 mm) jamb. All wood exterior components are factory primed unless specified as clear exterior. Minor scratches or abrasions in the wood surface or primer are not considered defects.

Alternate Species

The entire Loewen product line is also available in optional Mahogany.

Preservative Treated

All wood parts are dipped in approved preservative.

Glazing

With countless glazing configurations and LowE coating options, we ensure that you can choose the perfect blend of protection and comfort.

Insulating Glass

Double or triple glass configurations with 1/2” (13 mm) airspace.

LowE Systems

LowE best describes the benefits of the product that incorporates glazing coatings and Argon gas. LowE systems help reduce heating and cooling costs, providing superior energy efficiency.

Simulated Divided Lites (SDL)

Standard SDL complete with airspace grilles, where available. Grille bars are permanently applied to the interior and exterior.

Hardware Option

Operator and sash locks are available in a variety of finishes. See section A.

Metal Cladding

Heavy duty exterior metal cladding comprised of extruded aluminum is available in a variety of Palette colors, including anodized and Cyprium (copper and bronze cladding). Interior of window can be natural wood (unfinished) or primed. Metal clad units are supplied ready-to-install complete with integral metal nailing flange.

Hardware

Standard Casement sash opens out to nearly 90 degrees for ease of cleaning. The roto gear operator will hold the sash at any position in its operating radius. The sash is supported by concealed heavy-duty hinges. All steel components are coated for superior corrosion protection.

Double Weatherstrip

The combination of a continuous, flexible foam weatherstrip and a flexible automotive type bulb weatherstrip ensures maximum energy efficiency and protection against air and water infiltration.

Screen

Screens available in bronze, linen, Tuscany brown, brushed aluminum or black aluminum frame, screened with anti-glare fiberglass cloth. Wood-framed screens and High Transparency mesh available. Optional Retractable Screen and Swinging Screen available. Swinging Screen available on Push Out models only.

Egress

Consult local building codes for confirmation of size requirements for your area. Special egress hardware is available for Casement windows, which enables some sizes to meet egress codes, eliminating the need to go to the next larger size window. Consult your Authorized Loewen Dealer for more details.

Casement
1 Wide Window Sizes

				Width						
Rough Opening				16 1/2 [419]	20 7/16 [519]	24 3/8 [619]	28 5/16 [719]	30 1/4 [769]	32 1/4 [819]	36 3/16 [919]
		Frame		15 3/4 [400]	19 11/16 [500]	23 5/8 [600]	27 9/16 [700]	29 1/2 [750]	31 1/2 [800]	35 7/16 [900]
Wood Exterior	Metal Clad		Visible Glass	9 3/4 [247]	13 11/16 [347]	17 5/8 [447]	21 9/16 [547]	23 1/2 [597]	25 1/2 [647]	29 7/16 [747]
25 1/16 [636]	24 3/8 [619]	23 5/8 [600]	17 3/8 [442]	CA1 0406	CA1 0506	CA1 0606	CA1 0706	CA1 7506		
29 [736]	28 5/16 [719]	27 9/16 [700]	21 5/16 [542]	CA1 0407	CA1 0507	CA1 0607	CA1 0707	CA1 7507	CA1 0807	
30 15/16 [786]	30 1/4 [769]	29 1/2 [750]	23 5/16 [592]	CA1 0475	CA1 0575	CA1 0675	CA1 0775	CA1 7575	CA1 0875	
32 15/16 [836]	32 1/4 [819]	31 1/2 [800]	25 1/4 [642]	CA1 0408	CA1 0508	CA1 0608	CA1 0708	CA1 7508	CA1 0808	CA1 0908
36 7/8 [936]	36 3/16 [919]	35 7/16 [900]	29 3/16 [742]	CA1 0409	CA1 0509	CA1 0609	CA1 0709	CA1 7509	CA1 0809	CA1 0909
40 13/16 [1036]	40 1/8 [1019]	39 3/8 [1000]	33 1/8 [842]	CA1 0410	CA1 0510	CA1 0610	CA1 0710	CA1 7510	CA1 0810	CA1 0910
42 11/16 [1084]	42 [1067]	41 1/4 [1048]	35 1/16 [890]	CA1 0411	CA1 0511	CA1 0611	CA1 0711	CA1 7511	CA1 0811	CA1 0911
48 11/16 [1236]	48 [1219]	47 1/4 [1200]	41 [1042]	CA1 0412	CA1 0512	CA1 0612	CA1 0712	CA1 7512	CA1 0812	CA1 0912
56 9/16 [1436]	55 7/8 [1419]	55 1/8 [1400]	48 7/8 [1242]	CA1 0414	CA1 0514	CA1 0614	CA1 0714	CA1 7514	CA1 0814	CA1 0914
60 1/2 [1536]	59 13/16 [1519]	59 1/16 [1500]	52 13/16 [1342]	CA1 0415	CA1 0515	CA1 0615	CA1 0715	CA1 7515	CA1 0815	CA1 0915
64 7/16 [1636]	63 3/4 [1619]	63 [1600]	56 3/4 [1442]	CA1 0416	CA1 0516	CA1 0616	CA1 0716	CA1 7516	CA1 0816	CA1 0916
72 5/16 [1836]	71 5/8 [1819]	70 7/8 [1800]	64 5/8 [1642]	CA1 0418	CA1 0518	CA1 0618	CA1 0718	CA1 7518	CA1 0818	CA1 0918
84 1/8 [2136]	83 7/16 [2119]	82 11/16 [2100]	76 7/16 [1942]	CA1 0421	CA1 0521	CA1 0621	CA1 0721	CA1 7521	CA1 0821	CA1 0921

New oversized CA operator up to CA1 1224

- watch for sizes where temp, tri sash, sash stabilizer etc. are read
- roto only
 - rectangular

Product Code

Glass Size = Visible Glass + 15/16" (24 mm)

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**

 - Available with Mission sash. For a unit with a Mission sash, subtract 13/16" (21 mm) from the vertical visible glass measurement.
 - SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Available with Push Out hardware.
 - For Masonry opening information see page A24-A29.
 - Sizes are shown as double glazing, not all sizes may be available in triple glazing.
- Egress calculations are based on a 20" width opening. Opening does not open a full 90°.
 - ★ Meets US Egress: 20" in width, 24" in height, with a total egress area of 5.7 Sq Ft.
 - ♣ Meets Canadian Egress: 15" in width, 15" in height, with a total egress area of 3.8 Sq Ft.
 - Please check your local building codes for any variation in Egress Standards from those stated above. For egress information, contact your Authorized Loewen Dealer.

Oversized Casement Window
(Roto Gear Only)

				Width										
Rough Opening					16 1/2 [419]	20 7/16 [519]	24 3/8 [619]	28 5/16 [719]	30 1/4 [769]	32 1/4 [819]	36 3/16 [919]	40 1/8 [1019]	42 [1067]	48 [1219]
				Frame		15 3/4 [400]	19 11/16 [500]	23 5/8 [600]	27 9/16 [700]	29 1/2 [750]	31 1/2 [800]	35 7/16 [900]	39 3/8 [1000]	41 1/4 [1048]
Wood Exterior	Metal Clad		Visible Glass	9 3/4 [247]	13 11/16 [347]	17 5/8 [447]	21 9/16 [547]	23 1/2 [597]	25 1/2 [647]	29 7/16 [747]	39 3/8 [847]	35 1/4 [895]	41 1/4 [1047]	
36 7/8 [936]	36 3/16 [919]	35 7/16 [900]	29 3/16 [742]								CA1* 1009			
40 13/16 [1036]	40 1/8 [1019]	39 3/8 [1000]	33 1/8 [842]								CA1 * 1010	CA1 * 1110		
42 11/16 [1084]	42 [1067]	41 1/4 [1048]	35 1/16 [890]								CA1 * 1011	CA1 * 1111		
48 11/16 [1236]	48 [1219]	47 1/4 [1200]	41 [1042]								★★ CA1 * 1012	★★ CA1 * 1112	CA1 * 1212	
56 9/16 [1436]	55 7/8 [1419]	55 1/8 [1400]	48 7/8 [1242]								★★ CA1 * 1014	★★ CA1 * 1114	CA1 * 1214	
60 1/2 [1536]	59 13/16 [1519]	59 1/16 [1500]	52 13/16 [1342]								★★ CA1 * 1015	★★ CA1 * 1115	CA1 * 1215	
64 7/16 [1636]	63 3/4 [1619]	63 [1600]	56 3/4 [1442]								★★ CA1 * 1016	★★ CA1 * 1116	CA1 * 1216	
72 5/16 [1836]	71 5/8 [1819]	70 7/8 [1800]	64 5/8 [1642]								★★ CA1 * 1018	★★ CA1 * 1118	CA1 * 1218	
84 1/8 [2136]	83 7/16 [2119]	82 11/16 [2100]	76 7/16 [1942]								★★ CA1 * 1021	★★ CA1 * 1121	CA1 * 1221	
95 7/8 [2436]	95 1/4 [2419]	94 1/2 [2400]	88 1/4 [2242]	CA1* 0424	CA1* 0524	CA1* 0624	CA1* 0724	★★ CA1* 7524	★★ CA1* 0824	★★ CA1* 0924	★★ CA1 * 1024	★★ CA1 * 1124	CA1 * 1224	

Product Code

Glass Size = Visible Glass + 15/16" (24 mm)

*Only available with roto gear hardware

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**

 - Available with Mission sash. For a unit with a Mission sash, subtract 13/16" (21 mm) from the vertical visible glass measurement.
 - SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Available with Push Out hardware.
 - For Masonry opening information see page A24-A29.
 - Sizes are shown as double glazing, not all sizes may be available in triple glazing.
- Egress calculations are based on a 20" width opening. Opening does not open a full 90°.
 - ★ Meets US Egress: 20" in width, 24" in height, with a total egress area of 5.7 Sq Ft.
 - ♣ Meets Canadian Egress: 15" in width, 15" in height, with a total egress area of 3.8 Sq Ft.
 - Please check your local building codes for any variation in Egress Standards from those stated above. For egress information, contact your Authorized Loewen Dealer.

Casement
2 Wide Window Sizes

Rough Opening				Width						
				32 1/4 [819]	40 1/8 [1019]	48 [1219]	55 7/8 [1419]	59 13/16 [1519]	63 3/4 [1619]	71 5/8 [1819]
				31 1/2 [800]	39 3/8 [1000]	47 1/4 [1200]	55 1/8 [1400]	59 1/16 [1500]	63 [1600]	70 7/8 [1800]
Wood Exterior	Metal Clad	Frame	Visible Glass	9 3/4 [247]	13 11/16 [347]	17 5/8 [447]	21 9/16 [547]	23 1/2 [597]	25 1/2 [647]	29 7/16 [747]
25 1/16 [636]	24 3/8 [619]	23 5/8 [600]	17 3/8 [442]	CA2 0806	CA2 1006	CA2 1206	CA2 1406	CA2 1506		
29 [736]	28 5/16 [719]	27 9/16 [700]	21 5/16 [542]	CA2 0807	CA2 1007	CA2 1207	CA2 1407	CA2 1507	CA2 1607	
30 15/16 [786]	30 1/4 [769]	29 1/2 [750]	23 5/16 [592]	CA2 0875	CA2 1075	CA2 1275	CA2 1475	CA2 1515	CA2 1675	
32 15/16 [836]	32 1/4 [819]	31 1/2 [800]	25 1/4 [642]	CA2 0808	CA2 1008	CA2 1208	CA2 1408	CA2 1508	CA2 1608	CA2 1808
36 7/8 [936]	36 3/16 [919]	35 7/16 [900]	29 3/16 [742]	CA2 0809	CA2 1009	CA2 1209	CA2 1409	CA2 1509	CA2 1609	CA2 1809
40 13/16 [1036]	40 1/8 [1019]	39 3/8 [1000]	33 1/8 [842]	CA2 0810	CA2 1010	CA2 1210	CA2 1410	CA2 1510	CA2 1610	CA2 1810
42 11/16 [1084]	42 [1067]	41 1/4 [1048]	35 1/16 [890]	CA2 0811	CA2 1011	CA2 1211	CA2 1411	CA2 1511	CA2 1611	CA2 18 11
48 11/16 [1236]	48 [1219]	47 1/4 [1200]	41 [1042]	CA2 0812	CA2 1012	CA2 1212	CA2 1412	CA2 1512	CA2 1612	CA2 1812
56 9/16 [1436]	55 7/8 [1419]	55 1/8 [1400]	48 7/8 [1242]	CA2 0814	CA2 1014	CA2 1214	CA2 1414	CA2 1514	CA2 1614	CA2 1814
60 1/2 [1536]	59 13/16 [1519]	59 1/16 [1500]	52 13/16 [1342]	CA2 0815	CA2 1015	CA2 1215	CA2 1415	CA2 1515	CA2 1615	CA2 1815
64 7/16 [1636]	63 3/4 [1619]	63 [1600]	56 3/4 [1442]	CA2 0816	CA2 1016	CA2 1216	CA2 1416	CA2 1516	CA2 1616	CA2 1816
72 5/16 [1836]	71 5/8 [1819]	70 7/8 [1800]	64 5/8 [1642]	CA2 0818	CA2 1018	CA2 1218	CA2 1418	CA2 1518	CA2 1618	CA2 1818
84 1/8 [2136]	83 7/16 [2119]	82 11/16 [2100]	76 7/16 [1942]	CA2 0821	CA2 1021	CA2 1221	CA2 1421	CA2 1521	CA2 1621	CA2 1821
				Product Code						
Glass Size = Visible Glass + 15/16" (24 mm)										

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**

 - Available with Mission sash. For a unit with a Mission sash, subtract 13/16" (21 mm) from the vertical visible glass measurement.
 - SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Available with Push Out hardware.
 - For Masonry opening information see page A24-A29.
 - Sizes are shown as double glazing, not all sizes may be available in triple glazing.
- Egress calculations are based on a 20" width opening. Opening does not open a full 90°.★ Meets US Egress: 20" in width, 24" in height, with a total egress area of 5.7 Sq Ft.♣ Meets Canadian Egress: 15" in width, 15" in height, with a total egress area of 3.8 Sq Ft.
 - Please check your local building codes for any variation in Egress Standards from those stated above. For egress information, contact your Authorized Loewen Dealer.

Fixed Casement
Window Sizes

				Width											
Rough Opening				Frame											
				Visible Glass											
Wood Exterior	Metal Clad			16 1/2 [419]	20 7/16 [519]	24 3/8 [619]	28 5/16 [719]	30 1/4 [769]	32 1/4 [819]	36 3/16 [919]	40 1/8 [1019]	42 [1067]			
				15 3/4 [400]	19 11/16 [500]	23 5/8 [600]	27 9/16 [700]	29 1/2 [750]	31 1/2 [800]	35 7/16 [900]	39 3/8 [1000]	41 1/4 [1048]			
				9 3/4 [247]	13 11/16 [347]	17 5/8 [447]	21 9/16 [547]	23 1/2 [597]	25 1/2 [647]	29 7/16 [747]	33 3/8 [847]	35 1/4 [895]			
13 1/4 [336]	12 9/16 [319]	11 13/16 [300]	5 9/16 [142]	CA1 0403	CA1 0503	CA1 0603	CA1 0703	CA1 7503	CA1 0803	CA1 0903	CA1 1003	CA1 1103			
17 3/16 [436]	16 1/2 [419]	15 3/4 [400]	9 1/2 [242]	CA1 0404	CA1 0504	CA1 0604	CA1 0704	CA1 7504	CA1 0804	CA1 0904	CA1 1004	CA1 1104			
21 1/8 [536]	20 7/16 [519]	19 11/16 [500]	13 7/16 [342]	CA1 0405	CA1 0505	CA1 0605	CA1 0705	CA1 7505	CA1 0805	CA1 0905	CA1 1005	CA1 1105			
25 1/16 [636]	24 3/8 [619]	23 5/8 [600]	17 3/8 [442]	CA1 0406	CA1 0506	CA1 0606	CA1 0706	CA1 7506	CA1 0806	CA1 0906	CA1 1006	CA1 1106			
29 [736]	28 5/16 [719]	27 9/16 [700]	21 5/16 [542]	CA1 0407	CA1 0507	CA1 0607	CA1 0707	CA1 7507	CA1 0807	CA1 0907	CA1 1007	CA1 1107			
30 15/16 [786]	30 1/4 [769]	29 1/2 [750]	23 5/16 [592]	CA1 0475	CA1 0575	CA1 0675	CA1 0775	CA1 7575	CA1 0875	CA1 0975	CA1 1075	CA1 1175			
32 15/16 [836]	32 1/4 [819]	31 1/2 [800]	25 1/4 [642]	CA1 0408	CA1 0508	CA1 0608	CA1 0708	CA1 7508	CA1 0808	CA1 0908	CA1 1008	CA1 1108			
36 7/8 [936]	36 3/16 [919]	35 7/16 [900]	29 3/16 [742]	CA1 0409	CA1 0509	CA1 0609	CA1 0709	CA1 7509	CA1 0809	CA1 0909	CA1 1009	CA1 1109			
40 13/16 [1036]	40 1/8 [1019]	39 3/8 [1000]	33 1/8 [842]	CA1 0410	CA1 0510	CA1 0610	CA1 0710	CA1 7510	CA1 0810	CA1 0910	CA1 1010	CA1 1110			
42 11/16 [1084]	42 [1067]	41 1/4 [1048]	35 1/16 [890]	CA1 0411	CA1 0511	CA1 0611	CA1 0711	CA1 7511	CA1 0811	CA1 0911	CA1 1011	CA1 1111			
48 11/16 [1236]	48 [1219]	47 1/4 [1200]	41 [1042]	CA1 0412	CA1 0512	CA1 0612	CA1 0712	CA1 7512	CA1 0812	CA1 0912	CA1 1012	CA1 1112			
56 9/16 [1436]	55 7/8 [1419]	55 1/8 [1400]	48 7/8 [1242]	CA1 0414	CA1 0514	CA1 0614	CA1 0714	CA1 7514	CA1 0814	CA1 0914	CA1 1014	CA1 1114			
60 1/2 [1536]	59 13/16 [1519]	59 1/16 [1500]	52 13/16 [1342]	CA1 0415	CA1 0515	CA1 0615	CA1 0715	CA1 7515	CA1 0815	CA1 0915	CA1 1015	CA1 1115			
64 7/16 [1636]	63 3/4 [1619]	63 [1600]	56 3/4 [1442]	CA1 0416	CA1 0516	CA1 0616	CA1 0716	CA1 7516	CA1 0816	CA1 0916	CA1 1016	CA1 1116			
72 5/16 [1836]	71 5/8 [1819]	70 7/8 [1800]	64 5/8 [1642]	CA1 0418	CA1 0518	CA1 0618	CA1 0718	CA1 7518	CA1 0818	CA1 0918	CA1 1018	CA1 1118			
84 1/8 [2136]	83 7/16 [2119]	82 11/16 [2100]	76 7/16 [1942]	CA1 0421	CA1 0521	CA1 0621	CA1 0721	CA1 7521	CA1 0821	CA1 0921	CA1 1021	CA1 1121			
95 15/16 [2436]	95 1/4 [2419]	94 1/2 [2400]	88 1/4 [2242]	CA1 0424	CA1 0524	CA1 0624	CA1 0724	CA1 7524	CA1 0824	CA1 0924	CA1 1024	CA1 1124			
				Product Code											
Glass Size = Visible Glass + 15/16" (24 mm)															

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**

 - Available with Mission sash. For a unit with a Mission sash, subtract 13/16" (21 mm) from the vertical visible glass measurement.
 - SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - For Masonry opening information see page A24-A29.
 - Sizes are shown as double glazing, not all sizes may be available in triple glazing.

Fixed Casement Window Sizes

				Width									
Rough Opening				48 [219]	55 7/8 [1419]	59 13/16 [1519]	63 3/4 [1619]	71 5/8 [1819]	79 1/2 [2019]	83 7/16 [2119]	95 1/4 [2419]		
Wood Exterior	Metal Clad	Frame	Visible Glass	47 1/4 [1200]	55 1/8 [1400]	59 1/16 [1500]	63 [1600]	70 7/8 [1800]	78 3/4 [2000]	82 11/16 [2100]	94 1/2 [2400]		
				41 1/4 [1047]	49 1/8 [1247]	53 1/16 [1347]	56 15/16 [1447]	64 13/16 [1647]	72 11/16 [1847]	76 5/8 [1947]	88 7/16 [2247]		
13 1/4 [336]	12 9/16 [319]	11 13/16 [300]	5 9/16 [142]	CA1 1203	CA1 1403	CA1 1503	CA1 1603	CA1 1803	CA1 2003	CA1 2103			
17 3/16 [436]	16 1/2 [419]	15 3/4 [400]	9 1/2 [242]	CA1 1204	CA1 1404	CA1 1504	CA1 1604	CA1 1804	CA1 2004	CA1 2104			
21 1/8 [536]	20 7/16 [519]	19 11/16 [500]	13 7/16 [342]	CA1 1205	CA1 1405	CA1 1505	CA1 1605	CA1 1805	CA1 2005	CA1 2105	CA1 2405		
25 1/16 [636]	24 3/8 [619]	23 5/8 [600]	17 3/8 [442]	CA1 1206	CA1 1406	CA1 1506	CA1 1606	CA1 1806	CA1 2006	CA1 2106	CA1 2406		
29 [736]	28 5/16 [719]	27 9/16 [700]	21 5/16 [542]	CA1 1207	CA1 1407	CA1 1507	CA1 1607	CA1 1807	CA1 2007	CA1 2107	CA1 2407		
30 15/16 [786]	30 1/4 [769]	29 1/2 [750]	23 5/16 [592]	CA1 1275	CA1 1475	CA1 1575	CA1 1675	CA1 1875	CA1 2075	CA1 2175	CA1 2475		
32 15/16 [836]	32 1/4 [819]	31 1/2 [800]	25 1/4 [642]	CA1 1208	CA1 1408	CA1 1508	CA1 1608	CA1 1808	CA1 2008	CA1 2108	CA1 2408		
36 7/8 [936]	36 3/16 [919]	35 7/16 [900]	29 3/16 [742]	CA1 1209	CA1 1409	CA1 1509	CA1 1609	CA1 1809	CA1 2009	CA1 2109	CA1 2409		
40 13/16 [1036]	40 1/8 [1019]	39 3/8 [1000]	33 1/8 [842]	CA1 1210	CA1 1410	CA1 1510	CA1 1610	CA1 1810	CA1 2010	CA1 2110	CA1 2410		
42 11/16 [1084]	42 [1067]	41 1/4 [1048]	35 1/16 [890]	CA1 1211	CA1 1411	CA1 1511	CA1 1611	CA1 1811	CA1 2011	CA1 2111	CA1 2411		
48 11/16 [1236]	48 [1219]	47 1/4 [1200]	41 [1042]	CA1 1212	CA1 1412	CA1 1512	CA1 1612	CA1 1812	CA1 2012	CA1 2112	CA1 2412		
56 9/16 [1436]	55 7/8 [1419]	55 1/8 [1400]	48 7/8 [1242]	CA1 1214	CA1 1414	CA1 1514	CA1 1614	CA1 1814	CA1 2014	CA1 2114	CA1 2414		
60 1/2 [1536]	59 13/16 [1519]	59 1/16 [1500]	52 13/16 [1342]	CA1 1215	CA1 1415	CA1 1515	CA1 1615	CA1 1815	CA1 2015	CA1 2115	CA1 2415		
64 7/16 [1636]	63 3/4 [1619]	63 [1600]	56 3/4 [1442]	CA1 1216	CA1 1416	CA1 1516	CA1 1616	CA1 1816	CA1 2016	CA1 2116	CA1 2416		
72 5/16 [1836]	71 5/8 [1819]	70 7/8 [1800]	64 5/8 [1642]	CA1 1218	CA1 1418	CA1 1518	CA1 1618	CA1 1818	CA1 2018	CA1 2118			
84 1/8 [2136]	83 7/16 [2119]	82 11/16 [2100]	76 7/16 [1942]	CA1 1221	CA1 1421	CA1 1521	CA1 1621	CA1 1821					
95 15/16 [2436]	95 1/4 [2419]	94 1/2 [2400]	88 1/4 [2242]	CA1 1224	CA1 1424	CA1 1524	CA1 1624						
				Product Code									
				Glass Size = Visible Glass + 15/16" (24 mm)									

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- Available with Mission sash. For a unit with a Mission sash, subtract 13/16" (21 mm) from the vertical visible glass measurement.
 - SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - For Masonry opening information see page A24-A29.
 - Sizes are shown as double glazing, not all sizes may be available in triple glazing.

French Casement Window Sizes


				Width									
Rough Opening				32 1/4 [819]	40 1/8 [1019]	42 [1067]	48 [1219]	55 7/8 [1419]	59 13/16 [1519]	63 3/4 [1619]	71 5/8 [1819]		
Wood Exterior	Metal Clad	Frame	Visible Glass	31 1/2 [800]	39 3/8 [1000]	41 1/4 [1048]	47 1/4 [1200]	55 1/8 [1400]	59 1/16 [1500]	63 [1600]	70 7/8 [1800]		
				10 5/16 [262]	14 1/4 [362]	15 3/8 [386]	18 3/16 [462]	22 1/8 [562]	24 1/8 [612]	26 1/16 [662]	30 [762]		
25 1/16 [636]	24 3/8 [619]	23 5/8 [600]	17 3/8 [442]	FCA 0806	FCA 1006	FCA 1106	FCA 1206	FCA 1406					
29 [736]	28 5/16 [719]	27 9/16 [700]	21 5/16 [542]	FCA 0807	FCA 1007	FCA 1107	FCA 1207	FCA 1407	FCA 1507	FCA 1607			
32 15/16 [836]	32 1/4 [819]	31 1/2 [800]	25 1/4 [642]	FCA 0808	FCA 1008	FCA 1108	FCA 1208	FCA 1408	FCA 1508	FCA 1608	FCA 1808		
36 7/8 [936]	36 3/16 [919]	35 7/16 [900]	29 3/16 [742]	FCA 0809	FCA 1009	FCA 1109	FCA 1209	FCA 1409	FCA 1509	FCA 1609	FCA 1809		
40 13/16 [1036]	40 1/8 [1019]	39 3/8 [1000]	33 1/8 [842]	FCA 0810	FCA 1010	FCA 1110	FCA 1210	FCA 1410	FCA 1510	FCA 1610	FCA 1810		
42 11/16 [1084]	42 [1067]	41 1/4 [1048]	35 1/16 [890]	FCA 0811	FCA 1011	FCA 1111	FCA 1211	FCA 1411	FCA 1511	FCA 1611	FCA 1811		
48 11/16 [1236]	48 [1219]	47 1/4 [1200]	41 [1042]	FCA 0812	FCA 1012	FCA 1112	FCA 1212	FCA 1412	FCA 1512	FCA 1612	FCA 1812		
56 9/16 [1436]	55 7/8 [1419]	55 1/8 [1400]	48 7/8 [1242]	FCA 0814	FCA 1014	FCA 1114	FCA 1214	FCA 1414	FCA 1514	FCA 1614	FCA 1814		
60 1/2 [1536]	59 13/16 [1519]	59 1/16 [1500]	52 13/16 [1342]	FCA 0815	FCA 1015	FCA 1115	FCA 1215	FCA 1415	FCA 1515	FCA 1615	FCA 1815		
64 7/16 [1636]	63 3/4 [1619]	63 [1600]	56 3/4 [1442]	FCA 0816	FCA 1016	FCA 1116	FCA 1216	FCA 1416	FCA 1516	FCA 1616	FCA 1816		
72 5/16 [1836]	71 5/8 [1819]	70 7/8 [1800]	64 5/8 [1642]	FCA 0818	FCA 1018	FCA 1118	FCA 1218	FCA 1418	FCA 1518	FCA* 1618	FCA* 1818		
				Product Code									
				Glass Size = Visible Glass + 15/16" (24 mm)									

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:**
- Available with Mission sash. For a unit with a Mission sash, subtract 13/16" (21 mm) from the vertical visible glass measurement.
 - SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - For Masonry opening information see page A24-A29.
 - Sizes are shown as double glazing, not all sizes may be available in triple glazing.

Camber Top Casement
Standard Radius Elevations

Imperial



Metric



Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Camber Top Casement
1 Wide Window Sizes

Rough Opening				Width								
				Frame		16 1/2 [419]	20 7/16 [519]	24 3/8 [619]	28 5/16 [719]	30 1/4 [769]	32 1/4 [819]	36 3/16 [919]
						15 3/4 [400]	19 11/16 [500]	23 5/8 [600]	27 9/16 [700]	29 1/2 [750]	31 1/2 [800]	35 7/16 [900]
Wood Exterior	Metal Clad		Visible Glass	9 3/4 [247]	13 11/16 [347]	17 5/8 [447]	21 9/16 [547]	23 1/2 [597]	25 1/2 [647]	29 7/16 [747]		
29 [736]	28 5/16 [719]	27 9/16 [700]	21 3/16 [538]	CTC1 0407	CTC1 0507	CTC1 0607	CTC1 0707	CTC1 7507	CTC1 0807			
30 15/16 [786]	30 1/4 [769]	29 1/2 [750]	23 5/8 [588]	CTC1 0475	CTC1 0575	CTC1 0675	CTC1 0775	CTC1 7575	CTC1 0875			
32 15/16 [836]	32 1/4 [819]	31 1/2 [800]	25 1/8 [638]	CTC1 0408	CTC1 0508	CTC1 0608	CTC1 0708	CTC1 7508	CTC1 0808			
36 7/8 [936]	36 3/16 [919]	35 7/16 [900]	29 1/16 [738]	CTC1 0409	CTC1 0509	CTC1 0609	CTC1 0709	CTC1 7509	CTC1 0809	CTC1 0909		
40 13/16 [1036]	40 1/8 [1019]	39 3/8 [1000]	33 [838]	CTC1 0410	CTC1 0510	CTC1 0610	CTC1 0710	CTC1 7510	CTC1 0810	CTC1 0910		
42 11/16 [1084]	42 [1067]	41 1/4 [1048]	34 7/8 [886]	CTC1 0411	CTC1 0511	CTC1 0611	CTC1 0711	CTC1 7511	CTC1 0811	CTC1 0911		
48 11/16 [1236]	48 [1219]	47 1/4 [1200]	40 7/8 [1038]	CTC1 0412	CTC1 0512	CTC1 0612	CTC1 0712	CTC1 7512	CTC1 0812	CTC1 0912		
56 9/16 [1436]	55 7/8 [1419]	55 1/8 [1400]	48 3/4 [1238]	CTC1 0414	CTC1 0514	CTC1 0614	CTC1 0714	CTC1 7514	CTC1 0814	CTC1 0914		
60 1/2 [1536]	59 13/16 [1519]	59 1/16 [1500]	52 11/16 [1338]	CTC 0415	CTC1 0515	CTC1 0615	CTC1 0715	CTC1 7515	CTC1 0815	CTC1 0915		
64 7/16 [1636]	63 3/4 [1619]	63 [1600]	56 5/8 [1438]	CTC1 0416	CTC1 0516	CTC1 0616	CTC1 0716	CTC1 7516	CTC1 0816	CTC1 0916		
72 5/16 [1836]	71 5/8 [1819]	70 7/8 [1800]	64 1/2 [1638]	CA1 0418	CTC1 0518	CTC1 0618	CTC1 0718	CTC1 7518	CTC1 0818	CTC1 0918		
84 1/8 [2136]	83 7/16 [2119]	82 11/16 [2100]	76 5/16 [1938]	CA1 0421	CTC1 0521	CTC1 0621	CTC1 0721	CTC1 7521	CTC1 0821	CTC1 0921		
Product Code												
Glass Size = Visible Glass + 15/16" (24 mm)												

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

Note:

- Available with Mission sash. For a unit with a Mission sash, subtract 13/16" (21 mm) from the vertical visible glass measurement.
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
- For Masonry opening information see page A24-A29.
- Sizes are shown as double glazing, not all sizes may be available in triple glazing.

Camber Top Casement
2 Wide Window Sizes

				Width							Height
Rough Opening				32 1/4 [819]	40 1/8 [1019]	48 [1219]	55 7/8 [1419]	59 13/16 [1519]	63 3/4 [1619]	71 5/8 [1819]	
Wood Exterior	Metal Clad	Frame		31 1/2 [800]	39 3/8 [1000]	47 1/4 [1200]	55 1/8 [1400]	59 1/16 [1500]	63 [1600]	70 7/8 [1800]	
				Visible Glass	9 3/4 [247]	13 11/16 [347]	17 5/8 [447]	21 9/16 [547]	23 1/2 [597]	25 1/2 [647]	29 7/16 [747]
29 [736]	28 5/16 [719]	27 9/16 [700]	21 3/16 [538]	CTC2 0807	CTC2 1007	CTC2 1207	CTC2 1407	CTC2 1475	CTC2 1408		
30 15/16 [786]	30 1/4 [769]	29 1/2 [750]	23 5/8 [588]	CTC2 0875	CTC2 1075	CTC2 1275	CTC2 1475	CTC2 1575	CTC2 1508		
32 15/16 [836]	32 1/4 [819]	31 1/2 [800]	25 1/8 [638]	CTC2 0808	CTC2 1008	CTC2 1208	CTC2 1408	CTC2 1508	CTC2 1608		
36 7/8 [936]	36 3/16 [919]	35 7/16 [900]	29 1/16 [738]	CTC2 0809	CTC2 1009	CTC2 1209	CTC2 1409	CTC2 1509	CTC2 1609	CTC2 1809	
40 13/16 [1036]	40 1/8 [1019]	39 3/8 [1000]	33 [838]	CTC2 0810	CTC2 1010	CTC2 1210	CTC2 1410	CTC2 1510	CTC2 1610	CTC2 1810	
42 11/16 [1084]	42 [1067]	41 1/4 [1048]	34 7/8 [886]	CTC2 0811	CTC2 1011	CTC2 1211	CTC2 1411	CTC2 1511	CTC2 1611	CTC2 1811	
48 11/16 [1236]	48 [1219]	47 1/4 [1200]	40 7/8 [1038]	CTC2 0812	CTC2 1012	CTC2 1212	CTC2 1412	CTC2 1512	CTC2 1612	CTC2 1812	
56 9/16 [1436]	55 7/8 [1419]	55 1/8 [1400]	48 3/4 [1238]	CTC2 0814	CTC2 1014	CTC2 1214	CTC2 1414	CTC2 1514	CTC2 1614	CTC2 1814	
60 1/2 [1536]	59 13/16 [1519]	59 1/16 [1500]	52 11/16 [1338]	CTC2 0815	CTC2 1015	CTC2 1215	CTC2 1415	CTC2 1515	CTC2 1615	CTC2 1815	
64 7/16 [1636]	63 3/4 [1619]	63 [1600]	56 5/8 [1438]	CTC2 0816	CTC2 1016	CTC2 1216	CTC2 1416	CTC2 1516	CTC2 1616	CTC2 1816	
72 5/16 [1836]	71 5/8 [1819]	70 7/8 [1800]	64 1/2 [1638]	CTC2 0818	CTC2 1018	CTC2 1218	CTC2 1418	CTC2 1518	CTC2 1618	CTC2 1818	
84 1/8 [2136]	83 7/16 [2119]	82 11/16 [2100]	76 5/16 [1938]	CTC2 0821	CTC2 1021	CTC2 1221	CTC2 1421	CTC2 1521	CTC2 1621	CTC2 1821	
Product Code											
Glass Size = Visible Glass + 15/16" (24 mm)											

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- Available with Mission sash. For a unit with a Mission sash, subtract 13/16" (21 mm) from the vertical visible glass measurement.
 - SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - For Masonry opening information see page A24-A29.
 - Sizes are shown as double glazing, not all sizes may be available in triple glazing.

Half Round Casement
Window Sizes


				Width					Height
Rough Opening				24 3/8 [619]	28 5/16 [719]	30 1/4 [769]	32 1/4 [819]	36 3/16 [919]	
Wood Exterior	Metal Clad	Frame		23 5/8 [600]	27 9/16 [700]	29 1/2 [750]	31 1/2 [800]	35 7/16 [900]	
		Visible Glass		17 5/8 [447]	21 9/16 [547]	23 1/2 [597]	25 1/2 [647]	29 7/16 [747]	
40 13/16 [1036]	40 1/8 [1019]	39 3/8 [1000]	33 1/8 [842]	CA1 0610	CA1 0710				
42 11/16 [1084]	42 [1067]	41 1/4 [1048]	35 1/16 [890]	CA1 0611	CA1 0711				
48 11/16 [1236]	48 [1219]	47 1/4 [1200]	41 [1042]	CA1 0612	CA1 0712	CA1 7512	CA1 0812		
56 9/16 [1436]	55 7/8 [1419]	55 1/8 [1400]	48 7/8 [1242]	CA1 0614	CA1 0714	CA1 7514	CA1 0814	CA1 0914	
60 1/2 [1536]	59 13/16 [1519]	59 1/16 [1500]	52 13/16 [1342]	CA1 0615	CA1 0715	CA1 7515	CA1 0815	CA1 0915	
64 7/16 [1636]	63 3/4 [1619]	63 [1600]	56 3/4 [1442]	CA1 0616	CA1 0716	CA1 7516	CA1 0816	CA1 0916	
72 5/16 [1836]	71 5/8 [1819]	70 7/8 [1800]	64 5/8 [1642]	CA1 0618	CA1 0718	CA1 7518	CA1 0818	CA1 0918	
84 1/8 [2136]	83 7/16 [2119]	82 11/16 [2100]	76 7/16 [1942]	CA1 0621	CA1 0721	CA1 7521	CA1 0821	CA1 0921	
Product Code									
Glass Size = Visible Glass + 15/16" (24 mm)									

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:**
- Available with Mission sash. For a unit with a Mission sash, subtract 13/16" (21 mm) from the vertical visible glass measurement.
 - SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - For Masonry opening information see page A24-A29.
 - Sizes are shown as double glazing, not all sizes may be available in triple glazing.

Casement Window
Wall Connection Detail

Head & Sill
Detail



Plan View




Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Casement Window
Detail

Head & Sill
Detail




Head & Sill
Detail




Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Plan View




Push Out Casement Window Detail




Fixed Casement Window Detail



Head & Sill Detail
Roto Gear
Sash Moulding Options




Glazing
Stop Profiles




Head & Sill
Detail



Head & Sill Detail
Pushout - Sash Moulding Options



Head & Sill Detail
Wood Exterior - Sash Moulding Options
Are The Same As Metal Clad




Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.


Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

Mission Casement Window Detail


Head & Sill Detail



Head & Sill Detail




Plan View




Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

Push Out French Casement Window Detail

Head & Sill Detail




Plan View




Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

Glazing Stop Profiles




Casing




SEE SECTION A.

Radius Top Casement Window
Detail

Head & Sill Detail



Head & Sill Detail




Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Picture And Fixed Casement Window Transoms
Detail

Head & Sill Detail




Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Oversized Casement Window (Roto Gear Only) Detail

Head & Sill Detail




METAL CLAD DOUBLE
4 9/16" (116 mm)
RETRACTABLE SCREEN




WOOD EXTERIOR DOUBLE
6 9/16" (166 mm)
2" BRICKMOULD STANDARD SUBSILL
STANDARD SCREEN


Glazing Stop Profiles



OGEE




SQUARE




PUTTY

Plan View




METAL CLAD DOUBLE
RETRACTABLE SCREEN




WOOD EXTERIOR DOUBLE
2" BRICKMOULD
STANDARD SCREEN


Casing




CONTEMPORARY




2" BRICKMOULD




NOSE & COVE




2" CLAD FRAME
EXTENSION



3½" FLAT



WILLIAMSBERG



ADAMS

SEE SECTION A.

Notes

[illegible]

Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

