

Technical Guide H

Swinging Terrace & French Terrace Doors



Product Features

Styles

Traditional, French, Cambertop, Quarter Round, Full Radius.

Standard Features

- Natural Douglas Fir interior (no visible finger joints)
- Full Jamb – 6 9/16 (166 mm) construction is an option
- 4 mm Low E insulated tempered glazing
- Multi-point locking hardware, complete with solid brass core handle set, escutcheon and dead bolt
- Extruded aluminum cladding in a variety of standard colors, primed wood or clear fir exterior
- Flexible weatherstrip system

Hardware

Multiple hardware type and finish choices are available. See hardware finish options in section A for more information.

Glazing

LowE Double, LowE Triple and StormForce™. StormForce™

is not available on all products.

Simulated Divided Lites (SDL)

Ogee Profile – 3/4” (19 mm), 1 1/8” (30 mm), 2” (51 mm)

Putty Profile – 5/8” (16 mm), 7/8” (22 mm), 1 1/8” (30 mm), 2” (51 mm)

Square Profile (interior only) – 3/4” (19 mm), 7/8” (22 mm), 1 1/8” (30 mm), 2” (51 mm)

Casing

Wood: 2” (51 mm) Brickmould, 3 1/2” (89 mm) Flat, 5 1/2” (139 mm) Flat, Adams and Williamsburg.

Metal Clad: 2” (51 mm) Brickmould, 3 1/2” (89 mm) Flat, 2” clad frame extension, Nose & Cove, Adams, Williamsburg and Kerf.

Metal Clad Color Spectrum

All Palette colors, including anodized finishes. Available in Cyprium Collection (see Section N).



Terrace



French Terrace



Half Round Terrace
Available in wood exterior only.



Half Round French Terrace

	Swinging Terrace	Swinging French Terrace
HARDWARE STYLES		
Multi-point Handle	●	●
Verona Handle	●	●
Meran Handle	●	●
Shropshire Handle	○	○
Churchill Handle	○	○
Athinia Handle	○	○
Rodos Operator	○	○

● Standard ○ Optional

Finish Options: Refer to Section A.

	Swinging Terrace	Swinging French Terrace
VARIABLES		
Function		
Use for Egress	●	●
Multi-point Hardware	●	●
Durability		
Low Maintenance Metal Clad Exterior	●	●
Clear Douglas Fir Exterior Finish	○	○
Clear Mahogany Exterior Finish	○	○
Primed Exterior Finish	○	○
Cyprium Collection	○	○
Performance		
LowE Double	●	●
LowE Triple	○	○
StormForce™	○	○
Appearance		
SDL	○	○
Vertical Grain Fir Panel	●	●

Specifications

Standards

Most individual units have been tested by an independent laboratory for air and water infiltration, structural performance and thermal performance requirements.

Panel & Frame

Manufactured with Coastal Douglas Fir. Bronze anodized aluminum door sill with bronze vinyl extruded thermal break. All exterior wood components are factory primed unless specified as clear exterior. Minor scratches or abrasions are not considered defects.

Alternate Species

The entire Loewen product line is also available in optional Mahogany. Preservative Treated

Preservative Treated

All wood parts are dipped in approved preservative.

Glazing

With countless glazing configurations and glazing coatings options, we ensure that you can choose the perfect blend of protection and comfort.

Insulating Glass

Double or triple glass configurations with 1/2" (13 mm) airspace.

LowE Systems

LowE best describes the benefits of the product that incorporates glazing coatings and Argon gas. LowE systems help reduce heating and cooling costs, providing superior energy efficiency.

Simulated Divided Lites (SDL)

Standard SDL complete with airspace grilles. Grille bars are permanently applied to the interior and exterior.

Metal Cladding

Heavy duty exterior metal cladding comprised of extruded aluminum is available in a variety of Palette colors, including anodized and Cyprium (copper and bronze cladding). Interior of window can be natural wood (unfinished) or primed. Metal clad units are supplied ready-to-install complete with integral metal nailing flange.

Hardware

Multipoint locking hardware — complete with brass handle set and escutcheon — and dead bolt are standard on all Terrace Doors. Optional keyed alike locks are available. Standard concealed bearing hinges in a variety of finishes are available.

Note: French doors with handle activated shoot bolts on inactive panel.

Weatherstripping

High grade weatherstripping runs the full perimeter of the panel/frame interface and provides a tight seal to the exterior elements. Side and head jamb weatherstrip are comprised of a bulb and fin dual seal design.

Door Swings

Traditional Terrace Door: Hinged in the middle so that one panel is fixed, while the other opens/closes. These doors can be configured as a single door, or as a series of fixed, operating, left hinged or right hinged panels.

French Terrace Doors: Hinged on the jambs to allow both doors to open/close from the middle.

Note: Outswinging versions of both door styles are available as options.

Visit the Loewen Photo Gallery online at www.loewen.com for a large collection of Loewen product and elevation photography. Numerous custom window configuration opportunities exist — please contact your Authorized Loewen Dealer. Specifications and technical information are subject to change without notice. Imperial and metric measurements are converted accurately. However, in some cases, industry standards cause a 1 mm variance. (Example: 3/4" is shown as 19 mm for all glass measurements.) Cad Download: www.loewen.com/architect | Installation Instructions: www.loewen.com

Loewen Narrow Stile Terrace Door

Features

- Narrower stiles and rails compared to standard Terrace Door panels
- Incorporates standard Terrace Door frame and sill
- Available as inswing, outswing, and fixed Terrace Doors
- Available for BiFold
- Metal Clad only in all current finishes with the exception of Cyprum
- Not available in shaped units, rectangle only

Sizes

- Maximum sizes for a single Terrace Door (TD1) is a width of 36" (924mm) and a height of 106 5/16" (2700mm) or a width of 40 5/16" (1024mm) and a height of 94 1/2" (2400mm)
 - Rough Opening and OSM remains the same as a standard Terrace Door, refer to TD1-0927 and TD1-1024 in the Loewen Technical Guide
- Maximum sizes for a French Door (FD2) is a width of 72" (1829mm) and a height of 106 5/16" (2700mm) or a width of 79" (2029mm) and a height of 94 1/2" (2400mm)
 - Rough Opening and OSM remains the same as a standard Terrace Door, refer to FD2-1827 and FD2-2024 in the Loewen Technical Guide



Out-Swing



In-Swing

Options

- Optional 7" bottom rail to align with other Terrace Door / French Door units on the job
- Ogee, Putty, Square interior glazing stops are all available along with complementary SDL bars
- All current Terrace Door handle sets are available, including the new Dallas handle set

Loewen Outswing 2.25" Terrace Door

New Thicker Panel

Loewen Windows and Doors is pleased to introduce our newest addition to the swinging door Family of products, the 2 1/4" Door. This new option of door has been designed to meet the demands of the luxury market. The thicker, more robust panel provides the valued element of mass which equates to a higher quality experience while using the product. The narrow stile elevation along with the new thicker panel makes for a great contemporary design solution.

Simple Design, Elaborate Performance

Minimal 3" profile and high-performance triple glazing.

Our 2 1/4" door brings with it a new level of robust design that you can hear and feel.

Triple glazing is easily executed giving you better thermal and sound performance. However, one can't overlook the simple benefits of interacting with a door this substantial. You can see the strength before you lay a hand on it. However, feeling the weight, hearing the contact of door to frame is the real experience.



Specifications

- Panel is a 2 3/8" thick rabbeted panel
- Allows for "True Triple" high performance glazing with 1/2" airspace
- Standard configuration - stile (4 5/16") and bottom rail (7 7/8")
- Optional 3" narrow stile configuration - stile (3") and bottom rail (4 5/16")
- Optional ADA flat sill with 10" tall bottom rail
- Optional midrail and both flat and raised panels
- Fixed Sidelites only
- Sightlines of transom will align with door below
 - Transom sash and door panel align - are on the same plane.


Features

- All of the below features are available or remain unaffected from the standard (1 3/4") Terrace Door.
- Wood Type (Vertical Grain Douglas Fir or Mahogany)
- Glazing, Glazing Stop, and SDL Options
- Architectural Casings
- Hardware
- Standard Frame sizes and size limitations
- Composite splash guard


Performance Data

- All NFRC as well as NAFS (Air/Water/Structural) performance values remain consistent with existing 1 3/4" product option.
- Impact performance and certification remains unchanged from the existing 1 3/4" product option.


Door Swings




Inswing: LAR (XO)




Outswing: LAR (XO)




Inswing: LRA (OX)




Outswing: LRA (OX)




Inswing: LH



Outswing: LH




Inswing: RH




Outswing: RH

Note: Handing is always as if you are viewing the hinge side from the outside of the building regardless of the door swinging into the building or out of the building.


Door Swings




Inswing: Fixed/Left




Inswing: Fixed/Right




Inswing: Left/Fixed




Inswing: Fixed/Right




Outswing: Right/Fixed



Outswing: Left/Fixed



Outswing: Fixed/Right



Outswing: Fixed/Left

Narrow Stile Terrace Door
1 Wide Sizes

					Width									
Rough Opening Inswing with Jamb Extension ¹					19 1/8 [485]	25 [635]	31 7/8 [809]	35 1/8 [892]	37 3/4 [959]	41 11/16 [1059]				
					Rough Opening ²				18 7/16 [469]	24 3/8 [619]	31 1/4 [793]	34 1/2 [876]	37 1/8 [943]	41 1/16 [1043]
					Frame				17 11/16 [450]	23 5/8 [600]	30 1/2 [774]	33 3/4 [857]	36 3/8 [924]	40 5/16 [1024]
					Panel				15 13/16 [402]	21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]
					Visible Glass				7 3/16 [182]	13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]
					TRANSOM									
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT1 0404	*TDT1 0604	*TDT1 0704	* TDT1 0804	* TDT1 0904	*TDT1 1004				
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT1 0406	* TDT1 0606	*TDT1 0706	*TDT1 0806	* TDT1 0906	* TDT1 1006				
					VENTING SIDELITE		DOORS							
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	~ TD1 0420	~ TD1 0620	TD1 0720	TD1 0820	TD1 0920	TD1 1020				
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	~ TD1 0421	~ TD1 0621	TD1 0721	TD1 0821	TD1 0921	TD1 1021				
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	~ TD1 0470	~ TD1 0670	TD1 0770	TD1 0870	TD1 0970	TD1 1070				
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	~ TD1 0424	~ TD1 0624	TD1 0724	TD1 0824	TD1 0924	TD1 1024				
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]			TD1 0780	TD1 0880	TD1 0980					
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]			TD1 0725	TD1 0825	TD1 0925					
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]			TD1 0727	TD1 0827	TD1 0927					
					Product Code									
Glass Size = Visible Glass + 15/16" (24 mm)														

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - ~ Venting or Fixed Sidelite.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Narrow Stile Terrace Door

2 Wide Door Sizes

					Width			
Rough Opening Inswing with Jamb Extension¹ Rough Opening² Frame Panel Visible Glass					60 7/16" [1535]	66 15/16" [1701]	72 1/4" [1835]	80 1/8" [2035]
					59 13/16" [1519]	66 5/16" [1685]	71 5/8" [1819]	79 1/2" [2019]
					59 1/16" [1500]	65 9/16" [1666]	70 7/8" [1800]	78 3/4" [2000]
					28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]
					22 11/16" [576]	25 15/16" [659]	28 9/16" [726]	32 1/2" [826]
					TRANSOM			
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT2 1504	* TDT2 1604	* TDT2 1804	* TDT2 2004
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT2 1506	* TDT2 1606	* TDT2 1806	* TDT2 2006
					DOORS			
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	68 13/16 [1748]	TD2 1520	TD2 1620	TD2 1820	TD2 2020
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	70 9/16 [1793]	TD2 1521	TD2 1621	TD2 1821	TD2 2021
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	75 1/4 [1912]	TD2 1570	TD2 1670	TD2 1870	TD2 2070
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	83 3/4 [2128]	TD2 1524	TD2 1624	TD2 1824	TD2 2024
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	86 11/16 [2202]	TD2 1580	TD2 1680	TD2 1880	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	88 3/8 [2244]	TD2 1525	TD2 1625	TD2 1825	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	95 9/16 [2428]	TD2 1527	TD2 1627	TD2 1827	
					Product Code			
Glass Size = Visible Glass + 15/16" (24 mm)								

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Narrow Stile Terrace Door
3 Wide Door Sizes

Rough Opening Inswing with Jamb Extension ¹					Width			
					89" [2261]	98 13/16" [2510]	106 3/4" [2711]	118 9/16" [3011]
					Rough Opening ²			
					88 3/8" [2245]	98 3/16" [2494]	106 1/16" [2695]	117 7/8" [2995]
					Frame			
					87 5/8" [2226]	97 7/16" [2475]	105 5/16" [2676]	117 1/8" [2976]
					Panel			
					28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]
					Visible Glass			
					22 11/16" [576]	25 15/16" [659]	28 9/16" [726]	32 1/2" [826]
					TRANSOM			
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT3 2204	* TDT3 2404	* TDT3 2704	* TDT3 3004
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT3 2206	* TDT3 2406	* TDT3 2706	* TDT3 3006
					DOORS			
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	68 13/16 [1748]	TD3 2220	TD3 2420	TD3 2720	TD3 3020
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	70 9/16 [1793]	TD3 2221	TD3 2421	TD3 2721	TD3 3021
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	75 1/4 [1912]	TD3 2270	TD3 2470	TD3 2770	TD3 3070
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	83 3/4 [2128]	TD3 2224	TD3 2424	TD3 2724	TD3 3024
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	86 11/16 [2202]	TD3 2280	TD3 2480	TD3 2780	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	88 3/8 [2244]	TD3 2225	TD3 2425	TD3 2725	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	95 9/16 [2428]	TD3 2227	TD3 2427	TD3 2727	

Product Code

Glass Size = Visible Glass + 15/16" (24 mm)

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Narrow Stile Terrace Door

4 Wide Door Sizes

Width

Height

Rough Opening Inswing with Jamb Extension ¹					117 5/8" [2988]	130 11/16" [3320]	141 1/4" [3588]	157" [3988]
Rough Opening ²					117" [2972]	130 1/16" [3304]	140 5/8" [3572]	156 3/8" [3972]
Frame					116 1/4" [2953]	129 5/16" [3285]	139 7/8" [3553]	155 5/8" [3953]
Panel					28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]
Visible Glass					22 11/16" [576]	25 15/16" [659]	28 9/16" [726]	32 1/2" [826]
					TRANSOM			
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT4 3004	* TDT4 3204	* TDT4 3604	* TDT4 4004
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT4 3006	* TDT4 3206	* TDT4 3606	* TDT4 4006
					DOORS			
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	TD4 3020	TD4 3220	TD4 3620	TD4 4020
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	TD4 3021	TD4 3221	TD4 3621	TD4 4021
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	TD4 3070	TD4 3270	TD4 3670	TD4 4070
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	TD4 3024	TD4 3224	TD4 3624	TD4 4024
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	TD4 3080	TD4 3280	TD4 3680	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	TD4 3025	TD4 3225	TD4 3625	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	TD4 3027	TD4 3227	TD4 3627	

Product Code


Glass Size = Visible Glass + 15/16" (24 mm)

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - Transom units.
 - Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Contemporary Frame Cladding Detail

Head & Sill Detail




INSWING TERRACE/FRENCH TERRACE
- NARROW STILE




OUTSWING TERRACE/FRENCH TERRACE -
STANDARD STILE

Casing




INSWING TERRACE/FRENCH TERRACE




OUTSWING TERRACE/FRENCH TERRACE -

Inswing 3" Narrow Stile Terrace Door Detail


Head & Sill Detail




Plan View



Glazing Stop Profiles



Casing




Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Outswing 3" Narrow Stile Terrace Door Detail


Head & Sill Detail




Plan View



Glazing Stop Profiles



Casing



Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Cambertop FD2

					Width					
Height	Rough Opening				47 1/4" 1200	60 15/16" 1548	67 1/2" 1714	72 3/4" 1848	80 5/8" 2048	87 13/16" 2230
	Frame				46 1/2" 1181	60 3/16" 1529	66 3/4" 1695	72" 1829	79 7/8" 2029	87 1/16" 2211
	Panel				21 3/4" 552	28 9/16" 726	31 7/8" 809	34 1/2" 876	38 7/16" 976	42" 1067
	Visible Glass				13 1/16" 332	19 15/16" 506	23 3/16" 589	25 13/16" 656	29 3/4" 756	33 3/8" 847
	80 1/8" 2035	79 1/2" 2020	76 7/16" 1942	63 3/4" 1619	FD2 1220	FD2 1520	FD2 1620	FD2 1820	FD2 2020	FD2 2220
	81 7/8" 2080	81 5/16" 2065	78 1/4" 1987	65 1/2" 1664	FD2 1221	FD2 1521	FD2 1621	FD2 1821	FD2 2021	FD2 2221
	86 9/16" 2199	86" 2184	82 15/16" 2106	70 3/16" 1783	FD2 1270	FD2 1570	FD2 1670	FD2 1870	FD2 2070	FD2 2270
	95 1/16" 2415	94 1/2" 2400	91 7/16" 2322	78 3/4" 1999	FD2 1224	FD2 1524	FD2 1624	FD2 1824	FD2 2024	FD2 2224
98" 2489	97 3/8" 2474	94 5/16" 2396	81 3/4" 2077	FD2 1280	FD2 1580	FD2 1680	FD2 1880	FD2 2080	FD2 2280	
99 5/8" 2531	99 1/16" 2516	96" 2438	83 5/16" 2115	FD2 1225	FD2 1525	FD2 1625	FD2 1825			
106 7/8" 2715	106 5/16" 2700	103 1/4" 2622	90 1/2" 2299	FD2 1227	FD2 1527	FD2 1627	FD2 1827			

Cambertop FD4

				Width					
Height	Rough Opening			90 11/16" 2304	118 1/8" 3000	131 3/16" 3332	141 3/4" 3600	157 1/2" 4000	171 13/16" 4364
	Frame			89 15/16" 2285	117 3/8" 2981	130 7/16" 3313	141" 3581	156 3/4" 3981	171 1/16" 4345
	Panel			21 3/4" 552	28 9/16" 726	31 7/8" 809	34 1/2" 876	38 7/16" 976	42" 1067
	Visible Glass			13 1/16" 332	19 15/16" 506	23 3/16" 589	25 13/16" 656	29 3/4" 756	33 3/8" 847
	80 1/8" 2035	79 1/2" 2020	76 7/16" 1942	63 3/4" 1619	FD4 2320	FD4 3020	FD4 3320	FD4 3620	FD4 4020
	81 7/8" 2080	81 5/16" 2065	78 1/4" 1987	65 1/2" 1664	FD4 2321	FD4 3021	FD4 3321	FD4 3621	FD4 4021
	86 9/16" 2199	86" 2184	82 15/16" 2106	70 3/16" 1783	FD4 2370	FD4 3070	FD4 3370	FD4 3670	FD4 4070
	95 1/16" 2415	94 1/2" 2400	91 7/16" 2322	78 3/4" 1999	FD4 2324	FD4 3024	FD4 3324	FD4 3624	FD4 4024
	98" 2489	97 3/8" 2474	94 5/16" 2396	81 3/4" 2077	FD4 2380	FD4 3080	FD4 3380	FD4 3680	FD4 4080
	99 5/8" 2531	99 1/16" 2516	96" 2438	83 5/16" 2115	FD4 2325	FD4 3025	FD4 3325	FD4 3625	
				106 7/8" 2715	106 5/16" 2700	103 1/4" 2622	90 1/2" 2299	FD4 2327	FD4 30027
								FD4 3327	FD4 3627

Narrow Stile FD2

Width

Height

Rough Opening				60 15/16" 1548	67 1/2" 1714	75 13/16" 1926	80 5/8" 2048
				60 3/16" 1529	66 3/4" 1695	75 1/16" 1907	79 7/8" 2029
				28 9/16" 725	31 13/16" 808	36" 914	38 3/8" 975
				22 5/86" 575	25 7/8" 658	30 1/16" 764	32 1/2" 825
				TRANSOM			
16 1/2" 419	15 3/4" 400	13 7/8" 352	9 11/16" 246	* FDT2 1504	* FDT2 1604	* FDT2 1804	* FDT2 2004
24 3/8" 619	23 5/8" 600	21 3/4" 552	17 9/16" 446	* FDT2 1506	* FDT2 1606	* FDT2 1806	* FDT2 2006
32 1/4" 819	31 1/2" 800	29 9/16" 751	25 3/8" 645	* FDT2 1508	* FDT2 1608	* FDT2 1808	* FDT2 2008
				DOORS			
80 1/8" 2035	79 1/2" 2020	77" 1956	69 3/4" 1771	FD2 1520	FD2 1620	FD2 1820	FD2 2020
81 7/8" 2080	81 5/16" 2065	78 3/4" 2001	71 1/2" 1816	FD2 1521	FD2 1621	FD2 1821	FD2 2021
86 9/16" 2199	86" 2184	83 7/16" 2120	76 3/16" 1935	FD2 1570	FD2 1670	FD2 1870	FD2 2070
95 1/16" 2415	94 1/2" 2400	91 15/16" 2336	84 11/16" 2151	FD2 1524	FD2 1624	FD2 1824	FD2 2024
98" 2489	97 3/8" 2474	94 7/8" 2410	87 5/8" 2225	FD2 1580	FD2 1680	FD2 1880	FD2 2080
99 5/8" 2531	99 1/16" 2516	96 9/16" 2452	89 1/4" 2267	FD2 1525	FD2 1625	FD2 1825	FD2 2025
106 7/8" 2715	106 5/16" 2700	103 3/4" 2636	96 1/2" 2451	FD2 1527	FD2 1627	FD2 1827	FD2 2027
124" 3150	123 7/16" 3135	120 7/8" 3071	113 5/8" 2886	FD2 1532	FD2 1632	FD2 1832	FD2 2032

* TRANSOM UNITS

Narrow Stile FD3

				Width					
Rough Opening				90 11/16" 2304	171 13/16" 4364				
				Frame		89 15/16" 2285	171 1/16" 4345		
						Panel		21 3/4" 552	42" 1067
								Visible Glass	13 1/16" 332
16 1/2" 419	15 3/4" 400	13 7/8" 352	9 11/16" 246	* FDT3 2404	*FDT3 2704				
24 3/8" 619	23 5/8" 600	21 3/4" 552	17 9/16" 446	*FDT3 2406	* FDT3 2706				
32 1/4" 819	31 1/2" 800	29 9/16" 751	25 3/8" 645	*FDT3 2408	* FDT3 2708				
80 1/8" 2035	79 1/2" 2020	77" 1956	69 3/4" 1771	FD3 2420	FD3 2720				
81 7/8" 2080	81 5/16" 2065	78 3/4" 2001	71 1/2" 1816	FD3 2421	FD3 2721				
86 9/16" 2199	86" 2184	83 7/16" 2120	76 3/16" 1935	FD3 2470	FD3 2770				
95 1/16" 2415	94 1/2" 2400	91 15/16" 2336	84 11/16" 2151	FD3 2424	FD3 2724				
98" 2489	97 3/8" 2474	94 7/8" 2410	87 5/8" 2225	FD3 2480	FD3 2780				
99 5/8" 2531	99 1/16" 2516	96 9/16" 2452	89 1/4" 2267	FD3 2425	FD3 2725				
106 7/8" 2715	106 5/16" 2700	103 3/4" 2636	96 1/2" 2451	FD3 2427					

* TRANSOM UNITS

Narrow Stile FD4

Width


Rough Opening				131 3/16" 3332	157 1/2" 4000
Frame				130 7/16" 3313	156 3/4" 3981
Panel				31 3/4" 806	38 5/16" 973
Visible Glass				25 7/8" 656	32 7/16" 823
16 1/2" 419	15 3/4" 400	13 7/8" 352	9 11/16" 246	* FDT4 3304	* FDT4 4004
24 3/8" 619	23 5/8" 600	21 3/4" 552	17 9/16" 446	* FDT4 3306	* FDT4 4006
32 1/4" 819	31 1/2" 800	29 9/16" 751	25 3/8" 645	* FDT4 3308	* FDT4 4008
80 1/8" 2035	79 1/2" 2020	77" 1956	69 3/4" 1771	FD4 3320	FD4 4020
81 7/8" 2080	81 5/16" 2065	78 3/4" 2001	71 1/2" 1816	FD4 3321	FD4 4021
86 9/16" 2199	86" 2184	83 7/16" 2120	76 3/16" 1935	FD4 3370	FD4 4070
95 1/16" 2415	94 1/2" 2400	91 15/16" 2336	84 11/16" 2151	FD4 3324	FD4 4024
98" 2489	97 3/8" 2474	94 7/8" 2410	87 5/8" 2225	FD4 3380	FD4 4080
99 5/8" 2531	99 1/16" 2516	96 9/16" 2452	89 1/4" 2267	FD4 3325	FD4 4025
106 7/8" 2715	106 5/16" 2700	103 3/4" 2636	96 1/2" 2451	FD4 3327	FD4 4027

Height


* TRANSOM UNITS

Outswing 2 1/4" Standard Stile Terrace/French Terrace Door Detail


Head & Sill Detail




Head & Sill Details



Glazing Stop Profiles







Casing





Outswing 2 1/4" Standard Stile Terrace Door Detail


Plan View




Plan View



Glazing Stop Profiles




Casing




Outswing 2 1/4" Standard Stile Terrace Door 3 & 4 Wide Detail

Plan View




Plan View




Outswing 2 1/4" Standard Stile French Terrace Door Detail


Plan View



Glazing Stop Profiles




Casing




Outswing 2 1/4" Standard Stile French Terrace Door Detail


Plan View




Plan View



Glazing Stop Profiles



Casing




Plan View




Outswing 2 1/4" Standard Stile Terrace Door Transom Detail


Head & Sill



Plan View




Plan View




Outswing 2 1/4" Standard Stile French Terrace Door Transom Detail

Head & Sill




Plan View




Outswing 2 1/4" Narrow Stile Terrace/French Terrace Door Detail


Head & Sill Detail




Head & Sill Details



Glazing Stop Profiles







Casing





Outswing 2 1/4" Narrow Stile Terrace Door Detail


Plan View




Plan View



Glazing Stop Profiles




Casing




Outswing 2 1/4" Narrow Stile Terrace Door

3 & 4 Wide Detail

Plan View







Plan View




Outswing 2 1/4" Narrow Stile French Terrace Door Detail


Plan View



Glazing Stop Profiles




Casing




Outswing 2 1/4" Narrow Stile French Terrace Door Detail


Plan View




Plan View



Glazing Stop Profiles




Casing




Outswing 2 1/4" Narrow Stile Terrace/French Terrace Door Detail (Midrail)

Plan View




Plan View




Outswing 2 1/4" Narrow Stile Terrace Door Transom Detail


Head & Sill



Plan View




Plan View




Outswing 2 1/4" Narrow Stile French Terrace Door Transom Detail

Head & Sill



Plan View



Narrow Stile French Terrace Door
2 Wide Sizes

					Width							
Rough Opening Inswing with Jamb Extension ¹					61 9/16 [1564]	68 1/8 [1730]	73 3/8 [1864]	81 1/4 [2064]				
					Rough Opening ²				60 15/16 [1548]	67 1/2 [1714]	72 3/4 [1848]	80 5/8 [2048]
					Frame				60 3/16 [1529]	66 3/4 [1695]	72 [1829]	79 7/8 [2029]
									Panel			
									Visible Glass	22 11/16 [576]	25 15/16 [659]	28 9/16 [726]
					TRANSOM							
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT2 1504	*FDT2 1604	*FDT2 1804	*FDT2 2004				
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT2 1506	*FDT2 1606	*FDT2 1806	*FDT2 2006				
					DOORS							
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	68 13/16 [1748]	FD2 1520	FD2 1620	FD2 1820	FD2 2020				
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	70 9/16 [1793]	FD2 1521	FD2 1621	FD2 1821	FD2 2021				
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	75 1/4 [1912]	FD2 1570	FD2 1670	FD2 1870	FD2 2070				
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	83 3/4 [2128]	FD2 1524	FD2 1624	FD2 1824	FD2 2024				
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	86 11/16 [2202]	FD2 1580	FD2 1680	FD2 1880					
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	88 3/8 [2244]	FD2 1525	FD2 1625	FD2 1825					
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	95 9/16 [2428]	FD2 1527	FD2 1627	FD2 1827					
					Product Code							
Glass Size = Visible Glass + 15/16" (24 mm)												

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Narrow Stile French Terrace Door

3 Wide Sizes

					Width		
Rough Opening Inswing with Jamb Extension¹					90 3/16 [2290]	100 [2539]	107 7/8 [2740]
					89 1/2 [2274]	99 5/16 [2523]	107 1/4 [2724]
					88 3/4 [2255]	98 9/16 [2504]	106 1/2 [2705]
					28 9/16 [726]	31 7/8 [809]	34 1/2 [876]
					22 11/16 [576]	25 15/16 [659]	28 9/16 [726]
					TRANSOM		
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT3 2204	*FDT3 2404	*FDT3 2704
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT3 2206	*FDT3 2406	*FDT3 2706
					DOORS		
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	68 13/16 [1748]	FD3 2220	FD3 2420	FD3 2720
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	70 9/16 [1793]	FD3 2221	FD3 2421	FD3 2721
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	75 1/4 [1912]	FD3 2270	FD3 2470	FD3 2770
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	83 3/4 [2128]	FD3 2224	FD3 2424	FD3 2724
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	86 11/16 [2202]	FD3 2280	FD3 2480	FD3 2780
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	88 3/8 [2244]	FD3 2225	FD3 2425	FD3 2725
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	95 9/16 [2428]	FD3 2227	FD3 2427	FD3 2727
					Product Code		
Glass Size = Visible Glass + 15/16" (24 mm)							

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Narrow Stile French Terrace Door
4 Wide Sizes


					Width			
Rough Opening Inswing with Jamb Extension¹ Rough Opening² Frame Panel Visible Glass					118 3/4 [3016]	131 13/16 [3348]	142 3/8 [3616]	158 1/8 [4016]
					118 1/8 [3000]	131 3/16 [3332]	141 3/4 [3600]	157 1/2 [4000]
					117 3/8 [2981]	130 7/16 [3313]	141 [3581]	156 3/4 [3981]
					28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]
					22 11/16 [576]	25 15/16 [659]	28 9/16 [726]	32 1/2 [826]
					TRANSOM			
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT4 3004	*FDT4 3304	*FDT4 3604	*FDT4 4004
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT4 3006	*FDT4 3306	*FDT4 3606	*FDT4 4006
					DOORS			
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	68 13/16 [1748]	FD4 3020	FD4 3320	FD4 3620	FD4 4020
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	70 9/16 [1793]	FD4 3021	FD4 3321	FD4 3621	FD4 4021
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	75 1/4 [1912]	FD4 3070	FD4 3370	FD4 3670	FD4 4070
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	83 3/4 [2128]	FD4 3024	FD4 3324	FD4 3624	FD4 4024
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	86 11/16 [2202]	FD4 3080	FD4 3380	FD4 3680	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	88 3/8 [2244]	FD4 3025	FD4 3325	FD4 3625	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	95 9/16 [2428]	FD4 30027	FD4 3327	FD4 3627	
					Product Code			
Glass Size = Visible Glass + 15/16" (24 mm)								

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Inswing 3" Narrow Stile French Terrace Door Detail


Head & Sill Detail



Plan View



Glazing Stop Profiles




Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.


Outswing 3" Narrow Stile French Terrace Door

Detail


Head & Sill Detail



Plan View



Glazing Stop Profiles



Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Terrace Door & Transom

1 Wide Door Sizes

					Width							
Rough Opening Inswing with Jamb Extension¹ Rough Opening² Frame Panel Visible Glass					19 1/8 [485]	25 [635]	31 7/8 [809]	35 1/8 [892]	37 3/4 [959]	41 11/16 [1059]	45 1/4 [1150]	
					18 7/16 [469]	24 3/8 [619]	31 1/4 [793]	34 1/2 [876]	37 1/8 [943]	41 1/16 [1043]	44 5/8 [1134]	
					17 11/16 [450]	23 5/8 [600]	30 1/2 [774]	33 3/4 [857]	36 3/8 [924]	40 5/16 [1024]	43 7/8 [1115]	
					15 13/16 [402]	21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]	
					7 3/16 [182]	13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]	
					TRANSOM							
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT1 0404	* TDT1 0604	* TDT1 0704	* TDT1 0804	* TDT1 0904	* TDT1 1004	* TDT1 1104	
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT1 0406	* TDT1 0606	* TDT1 0706	* TDT1 0806	* TDT1 0906	* TDT1 1006	* TDT1 1106	
					VENTING SIDELITES		DOORS					
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	^ VTD1 0420	^ VTD1 0620	TD1 0720	TD1 0820	TD1 0920	TD1 1020	TD1 1120	
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	^ VTD1 0421	^ VTD1 0621	TD1 0721	TD1 0821	TD1 0921	TD1 1021	TD1 1121	
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	^ VTD1 0470	^ VTD1 0670	TD1 0770	TD1 0870	TD1 0970	TD1 1070	TD1 1170	
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	^ VTD1 0424	^ VTD1 0624	TD1 0724	TD1 0824	TD1 0924	TD1 1024	TD1 1124	
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	^ VTD1 0480	^ VTD1 0680	TD1 0780	TD1 0880	TD1 0980	TD1 1080	TD1 1180	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	^ VTD1 0425	^ VTD1 0625	TD1 0725	TD1 0825	TD1 0925	TD1 1025	TD1 1125	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	^ VTD1 0427	^ VTD1 0627	TD1 0727	TD1 0827	TD1 0927	TD1 1027	TD1 1127	
					Product Code							
Glass Size = Visible Glass + 15/16" (24 mm)												

Glass Size = Visible Glass + 15/16" (24 mm)

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - ^ Venting or Fixed.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Terrace Door & Transom
2 Wide Door Sizes

					Width									
Rough Opening Inswing with Jamb Extension ¹					46 3/4" [1187]	60 7/16" [1535]	66 15/16" [1701]	72 1/4" [1835]	80 1/8" [2035]	87 5/16" [2217]				
					Rough Opening ²				46 1/8" [1171]	59 13/16" [1519]	66 5/16" [1685]	71 5/8" [1819]	79 1/2" [2019]	86 5/8" [2201]
					Frame				45 3/8" [1152]	59 1/16" [1500]	65 9/16" [1666]	70 7/8" [1800]	78 3/4" [2000]	85 7/8" [2182]
					Panel				21 3/4" [552]	28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]	42" [1067]
					Visible Glass				13 1/16" [332]	19 15/16" [506]	23 3/16" [589]	25 13/16" [656]	29 3/4" [756]	33 3/8" [847]
					TRANSOM									
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT2 1204	* TDT2 1504	* TDT2 1604	* TDT2 1804	* TDT2 2004	* TDT2 2204				
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT2 1206	* TDT2 1506	* TDT2 1606	* TDT2 1806	* TDT2 2006	* TDT2 2206				
					DOORS									
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	TD2 1220	TD2 1520	TD2 1620	TD2 1820	TD2 2020	TD2 2220				
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	TD2 1221	TD2 1521	TD2 1621	TD2 1821	TD2 2021	TD2 2221				
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	TD2 1270	TD2 1570	TD2 1670	TD2 1870	TD2 2070	TD2 2270				
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	TD2 1224	TD2 1524	TD2 1624	TD2 1824	TD2 2024	TD2 2224				
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	TD2 1280	TD2 1580	TD2 1680	TD2 1880	TD2 2080	TD2 2280				
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	TD2 1225	TD2 1525	TD2 1625	TD2 1825	TD2 2025	TD2 2225				
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	TD2 1227	TD2 1527	TD2 1627	TD2 1827	TD2 2027	TD2 2227				
					Product Code									
Glass Size = Visible Glass + 15/16" (24 mm)														

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

Note:

- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
- Half round doors are available in wood exterior.
 - * Transom units.
 - ^ Venting or Fixed.
- 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
- 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Terrace Door & Transom

3 Wide Door Sizes

Width

Height

Rough Opening Inswing with Jamb Extension ¹					89" [2261]	98 13/16" [2510]	106 3/4" [2711]	118 9/16" [3011]	129 5/8" [3293]
Rough Opening ²					88 3/8" [2245]	98 3/16" [2494]	106 1/16" [2695]	117 7/8" [2995]	129" [3277]
Frame					87 5/8" [2226]	97 7/16" [2475]	105 5/16" [2676]	117 1/8" [2976]	128 1/4" [3258]
Panel					28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]	42" [1067]
Visible Glass					19 15/16" [506]	23 3/16" [589]	25 13/16" [656]	29 3/4" [756]	33 3/8" [847]
					TRANSOM				
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT3 2204	* TDT3 2404	* TDT3 2704	* TDT3 3004	* TDT3 3204
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT3 2206	* TDT3 2406	* TDT3 2706	* TDT3 3006	* TDT3 3206
					DOORS				
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	TD3 2220	TD3 2420	TD3 2720	TD3 3020	TD3 3220
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	TD3 2221	TD3 2421	TD3 2721	TD3 3021	TD3 3221
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	TD3 2270	TD3 2470	TD3 2770	TD3 3070	TD3 3270
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	TD3 2224	TD3 2424	TD3 2724	TD3 3024	TD3 3224
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	TD3 2280	TD3 2480	TD3 2780	TD3 3080	TD3 3280
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	TD3 2225	TD3 2425	TD3 2725	TD3 3025	TD3 3225
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	TD3 2227	TD3 2427	TD3 2727	TD3 3027	TD3 3227

Product Code

Glass Size = Visible Glass + 15/16" (24 mm)

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - ^ Venting or Fixed.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Terrace Door & Transom
4 Wide Door Sizes

Rough Opening Inswing with Jamb Extension ¹					117 5/8" [2988]	130 11/16" [3320]	141 1/4" [3588]	157" [3988]	171 5/16" [4352]
					117" [2972]	130 1/16" [3304]	140 5/8" [3572]	156 3/8" [3972]	170 11/16" [4336]
					116 1/4" [2953]	129 5/16" [3285]	139 7/8" [3553]	155 5/8" [3953]	169 15/16" [4317]
					28 9/16" [726]	31 7/8" [809]	34 1/2" [876]	38 7/16" [976]	42" [1067]
					19 15/16" [506]	23 3/16" [589]	25 13/16" [656]	29 3/4" [756]	33 3/8" [847]
					TRANSOM				
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	* TDT4 3004	* TDT4 3204	* TDT4 3604	* TDT4 4004	* TDT4 4304
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	* TDT4 3006	* TDT4 3206	* TDT4 3606	* TDT4 4006	* TDT4 4306
					DOORS				
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	TD4 3020	TD4 3220	TD4 3620	TD4 4020	TD4 4320
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	TD4 3021	TD4 3221	TD4 3621	TD4 4021	TD4 4321
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	TD4 3070	TD4 3270	TD4 3670	TD4 4070	TD4 4370
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	TD4 3024	TD4 3224	TD4 3624	TD4 4024	TD4 4324
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	TD4 3080	TD4 3280	TD4 3680	TD4 4080	TD4 4380
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	TD4 3025	TD4 3225	TD4 3625	TD4 4025	TD4 4325
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	TD4 3027	TD4 3227	TD4 3627	TD4 4027	TD4 4327

Product Code

Glass Size = Visible Glass + 15/16" (24 mm)

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
 - * Transom units.
 - ^ Venting or Fixed.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Cambertop Terrace Door

1 Wide Door Sizes

					Width					
Height	Rough Opening Inswing with Jamb Extension ¹					31 7/8 [809]	35 1/82 [892]	37 3/4 [959]	41 11/16 [1059]	45 1/4 [1150]
	Rough Opening ²					31 1/4 [793]	34 1/2 [876]	37 1/8 [943]	41 1/16 [1043]	44 5/8 [1134]
	Frame					30 1/2 [774]	33 3/4 [857]	36 3/8 [924]	40 5/16 [1024]	43 7/8 [1115]
	Panel					28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]
	Visible Glass					19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]
	80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 15/16 [1624]	CTTD1 0720	CTTD1 0820	CTTD1 0920	CTTD1 1020	CTTD1 1120
	82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	CTTD1 0721	CTTD1 0821	CTTD1 0921	CTTD1 1021	CTTD1 1121
	86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	CTTD1 0770	CTTD1 0870	CTTD1 0970	CTTD1 1070	CTTD1 1170
	95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	CTTD1 0724	CTTD1 0824	CTTD1 0924	CTTD1 1024	CTTD1 1124
	98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	CTTD1 0780	CTTD1 0880	CTTD1 0980	CTTD1 1080	CTTD1 1180
	99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	CTTD1 0725	CTTD1 0825	CTTD1 0925		
	107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	CTTD1 0727	CTTD1 0827	CTTD1 0927		
					Product Code					
Glass Size = Visible Glass + 15/16" (24 mm)										

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 59 1/16" (1500 mm) radius.
- 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
- 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Cambertop Terrace Door
2 Wide Door Sizes

					Width						
Rough Opening Inswing with Jamb Extension ¹					46 3/4 [1187]	60 7/16 [1535]	66 15/16 [1701]	72 1/4 [1835]	80 1/8 [2035]	87 5/16 [2217]	
Rough Opening ²					46 1/8 [1171]	59 13/16 [1519]	66 5/16 [1685]	70 5/8 [1819]	79 1/2 [2019]	86 5/8 [2201]	
Frame					45 3/8 [1152]	59 1/16 [1500]	65 9/16 [1666]	70 7/8 [1800]	78 3/4 [2000]	85 7/8 [2182]	
Panel					21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]	
Visible Glass					13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]	
Height	80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 3/4 [1619]	CTTD2 1220	CTTD2 1520	CTTD2 1620	CTTD2 1820	CTTD2 2020	CTTD2 2220
	82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 1/2 [1664]	CTTD2 1221	CTTD2 1521	CTTD2 1621	CTTD2 1821	CTTD2 2021	CTTD2 2221
	86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/16 [1783]	CTTD2 1270	CTTD2 1570	CTTD2 1670	CTTD2 1870	CTTD2 2070	CTTD2 2270
	95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 3/4 [1999]	CTTD2 1224	CTTD2 1524	CTTD2 1624	CTTD2 1824	CTTD2 2024	CTTD2 2224
	98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	CTTD2 1280	CTTD2 1580	CTTD2 1680	CTTD2 1880	CTTD2 2080	CTTD2 2280
	99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 5/16 [2115]	CTTD2 1225	CTTD2 1525	CTTD2 1625	CTTD2 1825		
	107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 1/2 [2299]	CTTD2 1227	CTTD2 1527	CTTD2 1627	CTTD2 1827		
					Product Code						
Glass Size = Visible Glass + 15/16" (24 mm)											

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

Note:

- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
- 96 7/16" (2450 mm) radius.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Quarter Round Terrace Door

1 Wide Door Sizes

		Width					
Rough Opening Inswing with Jamb Extension ¹		31 7/8 [809]		35 1/82 [892]		37 3/4 [959]	
	Rough Opening ²	31 1/4 [793]		34 1/2 [876]		37 1/8 [943]	
	Frame	30 1/2 [774]		33 3/4 [857]		36 3/8 [924]	
	Panel	28 9/16 [726]		31 7/8 [809]		34 1/2 [876]	
	Visible Glass	19 15/16 [506]		23 3/16 [589]		25 13/16 [656]	
Height	80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 3/8 [1610]	CTTD1 0720	CTTD1 0820
	82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 3/16 [1655]	CTTD1 0721	CTTD1 0821
	86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	69 7/8 [1774]	CTTD1 0770	CTTD1 0870
	95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 3/8 [1990]	CTTD1 0724	CTTD1 0824
	98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	CTTD1 0780	CTTD1 0880
	99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	82 15/16 [2106]	CTTD1 0725	CTTD1 0825
	107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 3/16 [2290]	CTTD1 0727	CTTD1 0827
		Product Code					
		Glass Size = Visible Glass + 15/16" (24 mm)					
		* Availability of half/quarter round doors in metal clad may be limited. Consult your Authorized Loewen Dealer					

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Half round doors are available in wood exterior.
- 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Quarter Round Terrace Door
2 Wide Door Sizes

					Width		
Rough Opening Inswing with Jamb Extension ¹					60 7/16 [1535]	66 15/16 [1701]	72 1/4 [1835]
Rough Opening ²					59 13/16 [1519]	66 5/16 [1685]	70 5/8 [1819]
Frame					59 1/16 [1500]	65 9/16 [1666]	70 7/8 [1800]
Panel					28 9/16 [726]	31 7/8 [809]	34 1/2 [876]
Visible Glass					19 15/16 [506]	23 3/16 [589]	25 13/16 [656]
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 3/8 [1610]	CTTD2 1520	CTTD2 1620	
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 3/16 [1655]	CTTD2 1521	CTTD2 1621	CTTD2 1821
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	69 7/8 [1774]	CTTD2 1570	CTTD2 1670	CTTD2 1870
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 3/8 [1990]	CTTD2 1524	CTTD2 1624	CTTD2 1824
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	CTTD2 1580	CTTD2 1680	CTTD2 1880
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	82 15/16 [2106]	CTTD2 1525	CTTD2 1625	CTTD2 1825
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 3/16 [2290]	CTTD2 1527	CTTD2 1627	CTTD2 1827
					Product Code		

Glass Size = Visible Glass + 15/16" (24 mm)

* Availability of half/quarter round doors in metal clad may be limited. Consult your Authorized Loewen Dealer

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Half Round Terrace Door

1 Wide Door Sizes (Non-Clad Only)

					Width		
Height	Rough Opening Inswing with Jamb Extension ¹				31 7/8 [809]	35 1/82 [892]	37 3/4 [959]
	Rough Opening ²				31 1/4 [793]	34 1/2 [876]	37 1/8 [943]
	Frame				30 1/2 [774]	33 3/4 [857]	36 3/8 [924]
			Panel		28 9/16 [726]	31 7/8 [809]	34 1/2 [876]
			Visible Glass		19 15/16 [506]	23 3/16 [589]	25 13/16 [656]
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	CTTD1 0721	CTTD1 0821	CTTD1 0921
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	CTTD1 0770	CTTD1 0870	CTTD1 0970
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	CTTD1 0724	CTTD1 0824	CTTD1 0924
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	CTTD1 0780	CTTD1 0880	CTTD1 0980
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	CTTD1 0725	CTTD1 0825	CTTD1 0925
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	CTTD1 0727	CTTD1 0827	
					Product Code		
Glass Size = Visible Glass + 15/16" (24 mm)							

Glass Size = Visible Glass + 15/16" (24 mm)


Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

Note:


- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
- 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
- 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Inswing Terrace Door Wall Connection Detail

Head & Sill Detail



Plan View




Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Inswing Terrace Door Detail


Head & Sill Detail




Head & Sill Detail



Glazing Stop Profiles




Casing




Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

Inswing Terrace Door Detail


Head & Sill Detail




METAL CLAD DOUBLE
TWO PANEL



METAL CLAD DOUBLE
6 9/16" (166 mm) FULL JAMB




WOOD EXTERIOR DOUBLE
TWO PANEL 2" BRICKMOULD
SQUARE STOP




WOOD EXTERIOR DOUBLE
6 9/16" (166 mm) FULL JAMB
2" BRICKMOULD


Head & Sill Detail




METAL CLAD DOUBLE
ONE PANEL



METAL CLAD DOUBLE
CAMBERTOP




WOOD EXTERIOR TRIPLE
ONE PANEL
3 1/2" FLAT CASING
TRIPLE GLAZING STOP




WOOD EXTERIOR DOUBLE
CAMBERTOP
3 1/2" FLAT CASING


Glazing Stop Profiles



OGEE




SQUARE




PUTTY


Casing




KERF




2" BRICKMOULD




NOSE & CONE




2" CLAD FRAME EXTENSION



3/4" FLAT



WILLIAMSBURG




ADAMS

Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Outswing Terrace Door Detail


Head & Sill Detail




Head & Sill Detail



Glazing Stop Profiles







Casing





Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

Outswing Terrace Door Detail


Head & Sill Detail




Head & Sill Detail



Glazing Stop Profiles



Casing



Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

French Terrace Door & Transom
2 Wide Door Sizes

					Width					
Rough Opening Inswing with Jamb Extension ¹					47 7/8 [1216]	61 9/16 [1564]	68 1/8 [1730]	73 3/8 [1864]	81 1/4 [2064]	88 7/16 [2246]
Rough Opening ²					47 1/4 [1200]	60 15/16 [1548]	67 1/2 [1714]	72 3/4 [1848]	80 5/8 [2048]	87 13/16 [2230]
Frame					46 1/2 [1181]	60 3/16 [1529]	66 3/4 [1695]	72 [1829]	79 7/8 [2029]	87 1/16 [2211]
Panel					21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]
Visible Glass					13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]
					TRANSOM					
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT2 1204	*FDT2 1504	*FDT2 1604	*FDT2 1804	*FDT2 2004	*FDT2 2204
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT2 1206	*FDT2 1506	*FDT2 1606	*FDT2 1806	*FDT2 2006	*FDT2 2206
					DOORS					
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	FD2 1220	FD2 1520	FD2 1620	FD2 1820	FD2 2020	FD2 2220
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	FD2 1221	FD2 1521	FD2 1621	FD2 1821	FD2 2021	FD2 2221
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	FD2 1270	FD2 1570	FD2 1670	FD2 1870	FD2 2070	FD2 2270
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	FD2 1224	FD2 1524	FD2 1624	FD2 1824	FD2 2024	FD2 2224
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	FD2 128	FD2 1580	FD2 1680	FD2 1880	FD2 2080	FD2 2280
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	FD2 1225	FD2 1525	FD2 1625	FD2 1825	FD2 2025	FD2 2225
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	FD2 1227	FD2 1527	FD2 1627	FD2 1827		
					Product Code					
					Glass Size = Visible Glass + 15/16" (24 mm)					
					LA R LEFT ACTIVE RIGHT PASSIVE					

Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

French Terrace Door & Transom

3 Wide Door Sizes

Rough Opening Inswing with Jamb Extension ¹					Width		
					90 3/16 [2290]	100 [2539]	107 7/8 [2740]
Rough Opening ²					89 1/2 [2274]	99 5/16 [2523]	107 1/4 [2724]
Frame					88 3/4 [2255]	98 9/16 [2504]	106 1/2 [2705]
Panel					28 9/16 [726]	31 7/8 [809]	34 1/2 [876]
Visible Glass					19 15/16 [506]	23 3/16 [589]	25 13/16 [656]
					TRANSOM		
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT3 2204	*FDT3 2404	*FDT3 2704
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT3 2206	*FDT3 2406	*FDT3 2706
					DOORS		
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	FD3 2220	FD3 2420	FD3 2720
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	FD3 2221	FD3 2421	FD3 1821
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	FD3 2270	FD3 2470	FD3 2770
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	FD3 2224	FD3 2424	FD3 2724
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	FD3 2280	FD3 2480	FD3 2780
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	FD3 2225	FD3 2425	FD3 2725
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	FD3 2227	FD3 2427	FD3 2727
					Product Code		

Glass Size = Visible Glass + 15/16" (24 mm)



Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

French Terrace Door & Transom

4 Wide Door Sizes

Rough Opening Inswing with Jamb Extension ¹					Width						
					91 5/16 [2320]	118 3/4 [3016]	131 13/16 [3348]	142 3/8 [3616]	158 1/8 [4016]	172 7/16 [4380]	
					Rough Opening ²	90 11/16 [2304]	118 1/8 [3000]	131 3/16 [3332]	141 3/4 [3600]	157 1/2 [4000]	171 13/16 [4364]
					Frame	89 15/16 [2285]	117 3/8 [2981]	130 7/16 [3313]	141 [3581]	156 3/4 [3981]	171 1/16 [4345]
					Panel	21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]
			Visible Glass	13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]		
					TRANSOM						
16 5/8 [422]	16 5/16 [415]	15 3/4 [400]	13 7/8 [352]	9 11/16 [246]	*FDT4 2304	*FDT4 3004	*FDT4 3304	*FDT4 3604	*FDT4 4004	*FDT4 4304	
24 1/2 [622]	24 3/16 [615]	23 5/8 [600]	21 3/4 [552]	17 9/16 [446]	*FDT4 2306	*FDT4 3006	*FDT4 3306	*FDT4 3606	*FDT4 4006	*FDT4 4306	
					DOORS						
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	FD4 2320	FD4 3020	FD4 3320	FD4 3620	FD4 4020	FD4 4320	
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	FD4 2321	FD4 3021	FD4 3321	FD4 3621	FD4 4021	FD4 4321	
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	FD4 2370	FD4 3070	FD4 3370	FD4 3670	FD4 4070	FD4 4370	
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	FD4 2324	FD4 3024	FD4 3324	FD4 3624	FD4 4024	FD4 4324	
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	FD4 2380	FD4 3080	FD4 3380	FD4 3680	FD4 4080	FD4 4380	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	FD4 2325	FD4 3025	FD4 3325	FD4 3625	FD4 4025	FD4 4325	
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	FD4 2327	FD4 30027	FD4 3327	FD4 3627			
					Product Code						

Glass Size = Visible Glass + 15/16" (24 mm)




Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

- Note:**
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - Transom units.
 - ¹ Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - ² Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Cambertop French Terrace Door
2 Wide Sizes

					Width					
Rough Opening Inswing with Jamb Extension ¹					47 7/8 [1216]	61 9/16 [1564]	68 1/8 [1730]	73 3/8 [1864]	81 1/4 [2064]	88 7/16 [2246]
Rough Opening ²					47 1/4 [1200]	60 15/16 [1548]	67 1/2 [1714]	72 3/4 [1848]	80 5/8 [2048]	87 13/16 [2230]
Frame					46 1/2 [1181]	60 3/16 [1529]	66 3/4 [1695]	72 [1829]	79 7/8 [2029]	87 1/16 [2211]
Panel					21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]
Visible Glass					13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	FD2 1220	FD2 1520	FD2 1620	FD2 1820	FD2 2020	FD2 2220
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	FD2 1221	FD2 1521	FD2 1621	FD2 1821	FD2 2021	FD2 2221
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	FD2 1270	FD2 1570	FD2 1670	FD2 1870	FD2 2070	FD2 2270
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	FD2 1224	FD2 1524	FD2 1624	FD2 1824	FD2 2024	FD2 2224
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	FD2 1280	FD2 1580	FD2 1680	FD2 1880	FD2 2080	FD2 2280
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	FD2 1225	FD2 1525	FD2 1625	FD2 1825		
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	FD2 1227	FD2 1527	FD2 1627	FD2 1827		
					Product Code					

Glass Size = Visible Glass + 15/16" (24 mm)




Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.

Note:

- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
- 96 7/16" (2450 mm) radius.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

Cambertop French Terrace Door
4 Wide Sizes

Rough Opening Inswing with Jamb Extension ¹					Width						
					91 5/16 [2320]	118 3/4 [3016]	131 13/16 [3348]	142 3/8 [3616]	158 1/8 [4016]	172 7/16 [4380]	
					Rough Opening ²						
					Frame						
					Panel						
					21 3/4 [552]	28 9/16 [726]	31 7/8 [809]	34 1/2 [876]	38 7/16 [976]	42 [1067]	
					Visible Glass	13 1/16 [332]	19 15/16 [506]	23 3/16 [589]	25 13/16 [656]	29 3/4 [756]	33 3/8 [847]
80 3/8 [2042]	80 1/8 [2035]	79 1/2 [2020]	76 7/16 [1942]	63 7/8 [1623]	FD4 2320	FD4 3020	FD4 3320	FD4 3620	FD4 4020	FD4 4320	
82 3/16 [2087]	81 7/8 [2080]	81 5/16 [2065]	78 1/4 [1987]	65 11/16 [1668]	FD4 2321	FD4 3021	FD4 3321	FD4 3621	FD4 4021	FD4 4321	
86 7/8 [2206]	86 9/16 [2199]	86 [2184]	82 15/16 [2106]	70 3/8 [1787]	FD4 2370	FD4 3070	FD4 3370	FD4 3670	FD4 4070	FD4 4370	
95 3/8 [2422]	95 1/16 [2415]	94 1/2 [2400]	91 7/16 [2322]	78 7/8 [2003]	FD4 2324	FD4 3024	FD4 3324	FD4 3624	FD4 4024	FD4 4324	
98 1/4 [2496]	98 [2489]	97 3/8 [2474]	94 5/16 [2396]	81 3/4 [2077]	FD4 2380	FD4 3080	FD4 3380	FD4 3680	FD4 4080	FD4 4380	
99 15/16 [2538]	99 5/8 [2531]	99 1/16 [2516]	96 [2438]	83 7/16 [2119]	FD4 2325	FD4 3025	FD4 3325	FD4 3625			
107 3/16 [2722]	106 7/8 [2715]	106 5/16 [2700]	103 1/4 [2622]	90 11/16 [2303]	FD4 2327	FD4 3027	FD4 3327	FD4 3627			
					Product Code						
Glass Size = Visible Glass + 15/16" (24 mm)											



Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


Note:

- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
- 200 13/16" (5100 mm) radius.
- 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
- 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).


Inswing French Terrace Door

Detail


Head & Sill Detail




Head & Sill Detail



Glazing Stop Profiles



Casing




Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Inswing French Terrace Door Detail


Plan View




Plan View



Glazing Stop Profiles



Casing




Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.


Outswing French Terrace Door

Detail


Head & Sill Detail




Head & Sill Detail



Glazing Stop Profiles




Casing




Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

Outswing French Terrace Door Detail


Plan View




Plan View



Glazing Stop Profiles



Casing




SEE PAGE A22 FOR DIMENSIONS.

Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Terrace/French Terrace Door Low Profile & Midrail Detail, Wide Bottom Rail

Head & Sill Detail




Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

10' Terrace/French Terrace Door
1 & 2 Wide Sizes

					Width								
Height	Rough Opening Inswing with Jamb Extension ¹				39 1/4 [997]	43 1/4 [1099]	45 1/4 [1150]	75 1/4 [1911]	83 1/4 [2115]	87 5/16 [2217]	76 3/8 [1940]	84 7/16 [2144]	88 7/16 [2246]
	Rough Opening ²				38 5/8 [981]	42 5/8 [1083]	44 5/8 [1134]	74 5/8 [1895]	82 5/8 [2099]	86 5/8 [2201]	75 3/4 [1924]	83 3/4 [2128]	87 13/16 [2230]
	Frame				37 7/8 [962]	41 7/8 [1064]	43 7/8 [1115]	73 7/8 [1876]	81 7/8 [2080]	85 7/8 [2182]	75 [1905]	83 1/16 [2109]	87 1/16 [2211]
	Panel				34 1/2 [876]	38 7/16 [976]	42 [1067]	34 1/2 [876]	38 7/16 [976]	42 [1067]	34 1/2 [876]	38 7/16 [976]	42 [1067]
	Visible Glass				24 1/4 [616]	28 1/4 [718]	30 1/4 [769]	24 1/4 [616]	28 1/4 [718]	30 1/4 [769]	24 1/4 [616]	28 1/4 [718]	30 1/4 [769]
	124 5/16 [3157]	124 [3150]	123 7/16 [3135]	120 3/8 [3057]	106 1/4 [2699]	TD1 0932	TD1 1032	TD1 1132					
	124 5/16 [3157]	124 [3150]	123 7/16 [3135]	120 3/8 [3057]	106 1/4 [2699]				TD2 1832	TD2 2032	TD2 2232		
	124 5/16 [3157]	124 [3150]	123 7/16 [3135]	120 3/8 [3057]	106 1/4 [2699]							FD2 1832	FD2 2032 FD2 2232
Product Code													

Glass Size = Visible Glass + 15/16" (24 mm)




Standard sizes Shown. Additional sizes may be available. Custom sizes can be ordered.


- Note:
- SDL/Grille patterns are dependent on SDL/Grille type and window size. Please verify SDL/Grille patterns before confirming your order.
 - 1 Inswing doors with jamb extensions (other than 4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).
 - 2 Outswing doors (all) and inswing doors without jamb extensions (4 9/16" (116 mm) & 6 9/16" (166 mm) full jamb).

10' Inswing Terrace/French Terrace Door Detail


Head & Sill Detail




Head & Sill Detail



Glazing Stop Profiles





Casing





Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

10' Inswing Terrace Door Detail

Plan View





METAL CLAD DOUBLE
6 9/16" (166 mm) FULL JAMB




WOOD EXTERIOR DOUBLE
6 9/16" (166 mm) FULL JAMB
2" BRICKMOULD


Plan View



Glazing Stop Profiles




Casing



Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.



10' Outswing Terrace/French Terrace Door Detail

Head & Sill Detail




Head & Sill Detail

Glazing Stop Profiles







Casing





Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

10' Outswing Terrace Door Detail


Plan View




Plan View



Glazing Stop Profiles




Casing




Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.

10' Outswing & Inswing Terrace/French Terrace Door Detail


Plan View Outswing




METAL CLAD DOUBLE TWO PANEL



METAL CLAD DOUBLE 6 9/16\"/>




WOOD EXTERIOR DOUBLE TWO PANEL 2\"/>




WOOD EXTERIOR DOUBLE 6 9/16\"/>


Plan View Inswing




METAL CLAD DOUBLE TWO PANEL



METAL CLAD DOUBLE 6 9/16\"/>



WOOD EXTERIOR DOUBLE TWO PANEL 2\"/>




WOOD EXTERIOR DOUBLE 6 9/16\"/>

Note: • Other jamb widths available.
• All dimensions to have +/- 1/16" (2mm) tolerance.


Terrace/French Terrace Door & Transom Mull Detail

Head & Sill Detail



Terrace/French Terrace Door & Sidelite Mull Detail

Plan View




Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Terrace/French Terrace Door Transom Rail Detail


Head & Sill Detail




METAL CLAD DOUBLE
2 1/16" (52mm) RAILS




WOOD EXTERIOR DOUBLE
2 1/16" (52mm) RAILS
2" BRICKMOULD




METAL CLAD NARROW STILE
3" (75mm) STILES




METAL CLAD STANDARD STILE
4 5/16" (110mm) STILES




WOOD EXTERIOR STANDARD STILE
4 5/16" (110mm) STILES



METAL CLAD NARROW STILE
TWO WIDE
3" (75mm) STILES



METAL CLAD STANDARD STILE
4 5/16" (110mm) STILES
2-PANEL




WOOD EXTERIOR STANDARD STILE
4 5/16" (110mm) STILES
2-PANEL

Note:


- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Terrace/French Terrace Door & Transom Mull Detail

Head & Sill Detail




METAL CLAD DOUBLE
2 1/16" (52mm) RAILS




WOOD EXTERIOR DOUBLE
2 1/16" (52mm) RAILS
2" BRICK/MOULD


Plan View




METAL CLAD NARROW STILE
3" (75mm) STILES




METAL CLAD STANDARD STILE
4 5/16" (110mm) STILES




WOOD EXTERIOR STANDARD STILE
4 5/16" (110mm) STILES



METAL CLAD NARROW STILE
3" (75mm) STILES



METAL CLAD STANDARD STILE
4 5/16" (110mm) STILES




WOOD EXTERIOR STANDARD STILE
4 5/16" (110mm) STILES

Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

Terrace/French Terrace Door Transom Rail Detail

Plan View



Note:

- Other jamb widths available.
- All dimensions to have +/- 1/16" (2mm) tolerance.

